antibodies -online.com





BCL2L1 Protein (AA 1-233) (rho-1D4 tag)



Image



Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	1 mg
Target:	BCL2L1
Protein Characteristics:	AA 1-233
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BCL2L1 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequ	ience:
------	--------

MSQSNRELVV DFLSYKLSQK GYSWSQFSDV EENRTEAPEE TEAERETPSA INGNPSWHLA
DSPAVNGATG HSSSLDAREV IPMAAVKQAL REAGDEFELR YRRAFSDLTS QLHITPGTAY
QSFEQVVNEL FRDGVNWGRI VAFFSFGGAL CVESVDKEMQ VLVSRIASWM ATYLNDHLEP
WIQENGGWDT FVDLYGNNAA AESRKGQERF NRWFLTGMTV AGVVLLGSLF SRK
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Bcl2l1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

Target Details

Target:	BCL2L1
Alternative Name:	Bcl2l1 (BCL2L1 Products)
Background:	Potent inhibitor of cell death. Inhibits activation of caspases. Appears to regulate cell death by

	blocking the voltage-dependent anion channel (VDAC) by binding to it and preventing the
	release of the caspase activator, CYC1, from the mitochondrial membrane. Also acts as a
	regulator of G2 checkpoint and progression to cytokinesis during mitosis.
	{ECO:0000269 PubMed:9390687}., Isoform Bcl-X(L) also regulates presynaptic plasticity,
	including neurotransmitter release and recovery, number of axonal mitochondria as well as size
	and number of synaptic vesicle clusters. During synaptic stimulation, increases ATP availability
	from mitochondria through regulation of mitochondrial membrane ATP synthase $F(1)F(0)$
	activity and regulates endocytic vesicle retrieval in hippocampal neurons through association
	with DMN1L and stimulation of its GTPase activity in synaptic vesicles (By similarity). May
	attenuate inflammation impairing NLRP1-inflammasome activation, hence CASP1 activation
	and IL1B release (By similarity). {ECO:0000250, ECO:0000250 UniProtKB:Q07817}., Isoform Bcl-
	X(S) promotes apoptosis. {ECO:0000250}.
t:	27.3 kDa Including tag.
	Q64373

Molecular Weight:	27.3 kDa Including tag.
UniProt:	Q64373
Pathways:	Apoptosis, Negative Regulation of intrinsic apoptotic Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date:

Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process