antibodies .- online.com





CYP1B1 Protein (AA 1-543) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	CYP1B1
Protein Characteristics:	AA 1-543
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CYP1B1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MATSLSADSP QQLSSLSTQQ TTLLLLFSVL AAVHLGQWLL RQWQRKPWSS PPGPFPWPLI GNAAAVGQAS HLYFARLARR YGDVFQIRLG SCPVVVLNGE SAIHQALVQQ GSIFADRPPF ASFRVVSGGR SLAFGHYSEH WKTQRRSAYS TMRAFSTRHP RSRGLLEGHA LAEARELVAV LVRRCAGGAF LDPTQPVIVA VANVMSAVCF GCRYNHDDAE FLELLSHNEE FGRTVGAGSL VDVLPWLQLF PNPVRTTFRK FEQLNRNFSN FVLDKFLRHR ESLVPGAAPR DMTDAFILSA EKKASGAPGD DSSGLDLEDV PATITDIFGA SQDTLSTALL WLLILFTRYP DVQARVQAEL DQVVGRDRLP CMSDQPNLPY VMAFLYESMR FSSFLPVTIP HATTANTFVL GYYIPKNTVV FVNQWSVNHD PAKWPNPEDF DPARFLDKDG FINKALASSV MIFSVGKRRC IGEELSKMLL FLFISILAHQ CNFKANQNES SNMSFSYGLT IKPKSFRIHV SLRESMELLD NAVKKLQTEE GCK Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Cyp1b1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	CYP1B1
Alternative Name:	Cyp1b1 (CYP1B1 Products)
Background:	Cytochromes P450 are a group of heme-thiolate monooxygenases. In liver microsomes, this
	enzyme is involved in an NADPH-dependent electron transport pathway. It oxidizes a variety of
	structurally unrelated compounds, including steroids, fatty acids, retinoid and xenobiotics.
	Preferentially oxidizes 17beta-estradiol to the carcinogenic 4-hydroxy derivative, and a variety of
	procarcinogenic compounds to their activated forms, including polycyclic aromatic
	hydrocarbons. Promotes angiogenesis by removing cellular oxygenation products, thereby
	decreasing oxidative stress, release of antiangiogenic factor THBS2, then allowing endothelial
	cells migration, cell adhesion and capillary morphogenesis. These changes are concommitant
	with the endothelial nitric oxide synthase activity and nitric oxide synthesis. Plays an important
	role in the regulation of perivascular cell proliferation, migration, and survival through
	modulation of the intracellular oxidative state and NF-kappa-B expression and/or activity, during
	angiogenesis. Contributes to oxidative homeostasis and ultrastructural organization and
	function of trabecular meshwork tissue through modulation of POSTN expression.
	{ECO:0000269 PubMed:15258110, ECO:0000269 PubMed:19005183,
	ECO:0000269 PubMed:20032512, ECO:0000269 PubMed:23568032,
	ECO:0000269 PubMed:23821647, ECO:0000269 PubMed:23979599}.
Molecular Weight:	61.5 kDa Including tag.
UniProt:	Q64429
Pathways:	Steroid Hormone Biosynthesis
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process