

### Datasheet for ABIN3135630

# ATG9A Protein (AA 2-551) (rho-1D4 tag)



Go to Product page

### Overview

Quantity:	1 mg
Target:	ATG9A
Protein Characteristics:	AA 2-551
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATG9A protein is labelled with rho-1D4 tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

#### **Product Details**

Sequence:

AQFDTEYQRL EASYSDSPPG EEDLLVHVAE GSKSPWHHIE NLDLFFSRVY NLHQKNGFTC
MLIGEMFELM QFLFVVAFTT FLVSCVDYDI LFANKMVNHS LHPTEPVKVT LPDAFLPAQV
CSARIQENGS LITILVIAGV FWIHRLIKFI YNICCYWEIH SFYLHALRIP MSALPYCTWQ
EVQARIVQTQ KEHQICIHKR ELTELDIYHR ILRFQNYMVA LVNKSLLPLR FRLPGLGEVV
FFTRGLKYNF ELILFWGPGS LFLNEWSLKA EYKRGGQRLE LAQRLSNRIL WIGIANFLLC
PLILIWQILY AFFSYAEVLK REPGALGARC WSLYGRCYLR HFNELEHELQ SRLNRGYKPA
SKYMNCFLSP LLTLLAKNGA FFAGSILAVL IALTIYDEDV LAVEHVLTTV TLLGVTVTVC
RSFIPDQHMV FCPEQLLRVI LAHIHYMPDH WQGVHLGGVA ESHRHTPHSH LLPPPSGPGD
HRLLPQLYGR GRGCGRHLLL CSDGRSPAWP SSVAVWRADR GLSVPASRGR EDRVVAHALC
HHOSRLAAPS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Atg9a Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

## Target Details

Target:	ATG9A
Alternative Name:	Atg9a (ATG9A Products)
Background:	Involved in autophagy and cytoplasm to vacuole transport (Cvt) vesicle formation. Plays a key role in the organization of the preautophagosomal structure/phagophore assembly site (PAS), the nucleating site for formation of the sequestering vesicle. Cycles between a juxta-nuclear trans-Golgi network compartment and late endosomes. Nutrient starvation induces accumulation on autophagosomes. Starvation-dependent trafficking requires ULK1, ATG13 and SUPT20H (By similarity). Required for carbonyl cyanide m-chlorophenylhydrazone (CCCP)-induced ATG8 family proteins lipidation, a key autophagy step. {ECO:0000250, ECO:0000269 PubMed:23402761}.
Molecular Weight:	64.2 kDa Including tag.
UniProt:	Q68FE2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)