antibodies - online.com







Neuroligin 2 Protein (NLGN2) (AA 700-836) (His tag)



Image



Go to	Prod	luct	page

()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	1 mg
Target:	Neuroligin 2 (NLGN2)
Protein Characteristics:	AA 700-836
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Neuroligin 2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA
Product Details	
Sequence:	YKRDRRQELR CRRLSPPGGS GSGVPGGGPL LPTAGRELPP EEELVSLQLK RGGGVGADPA
	EALRPACPPD YTLALRRAPD DVPLLAPGAL TLLPSGLGPP PPPPPPSLHP FGPFPPPPPT
	ATSHNNTLPH PHSTTRV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Nlgn2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	Neuroligin 2 (NLGN2)	
Alternative Name:	NIgn2 (NLGN2 Products)	
Background:	Transmembrane scaffolding protein involved in cell-cell interactions via its interactions with	
	neurexin family members. Mediates cell-cell interactions both in neurons and in other types of	
	cells, such as Langerhans beta cells. Mediates cell-cell interactions between Langerhans beta	
	cells and modulates insulin secretion (By similarity). Plays a role in synapse function and	

synaptic signal transmission, especially via gamma-aminobutyric acid receptors (GABA(A)
receptors). Functions by recruiting and clustering synaptic proteins. Promotes clustering of
postsynaptic GABRG2 and GPHN. Modulates signaling by inhibitory synapses, and thereby
plays a role in controlling the ratio of signaling by excitatory and inhibitory synapses and
information processing. Required for normal signal amplitude from inhibitory synapses, but is
not essential for normal signal frequency. May promote the initial formation of synapses, but is
not essential for this. In vitro, triggers the de novo formation of presynaptic structures.
{ECO:0000250, ECO:0000269 PubMed:10892652, ECO:0000269 PubMed:15620359,
ECO:0000269 PubMed:16982420, ECO:0000269 PubMed:19553444,
ECO:0000269 PubMed:19889999, ECO:0000269 PubMed:20530218}.

In addition to the applications listed above we expect the protein to work for functional studies

Molecular Weight:	15.2 kDa Including tag.	
UniProt:	Q69ZK9	
Pathways:	Cell-Cell Junction Organization, Synaptic Membrane	

Application Details

Application Notes:

	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process