antibodies -online.com





ASIC1 Protein (AA 1-526) (rho-1D4 tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	ASIC1 (ACCN2)
Protein Characteristics:	AA 1-526
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ASIC1 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MELKTEEEEV GGVQPVSIQA FASSSTLHGL AHIFSYERLS LKRALWALCF LGSLAVLLCV
CTERVQYYFC YHHVTKLDEV AASQLTFPAV TLCNLNEFRF SQVSKNDLYH AGELLALLNN
RYEIPDTQMA DEKQLEILQD KANFRSFKPK PFNMREFYDR AGHDIRDMLL SCHFRGEACS
AEDFKVVFTR YGKCYTFNSG QDGRPRLKTM KGGTGNGLEI MLDIQQDEYL PVWGETDETS
FEAGIKVQIH SQDEPPFIDQ LGFGVAPGFQ TFVSCQEQRL IYLPSPWGTC NAVTMDSDFF
DSYSITACRI DCETRYLVEN CNCRMVHMPG DAPYCTPEQY KECADPALDF LVEKDQEYCV
CEMPCNLTRY GKELSMVKIP SKASAKYLAK KFNKSEQYIG ENILVLDIFF EVLNYETIEQ
KKAYEIAGLL GDIGGQMGLF IGASILTVLE LFDYAYEVIK HRLCRRGKCQ KEAKRNSADK
GVALSLDDVK RHNPCESLRG HPAGMTYAAN ILPHHPARGT FEDFTC

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Asic1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

Target Details

Target:	ASIC1 (ACCN2)
Alternative Name:	Asic1 (ACCN2 Products)
Background:	Proton-gated sodium channel, it is activated by a drop of the extracellular pH and then becomes
	rapidly desensitized. Generates a biphasic current with a fast inactivating and a slow sustained
	phase. Has high selectivity for sodium ions and can also transport lithium ions with high
	efficiency. Can also transport potassium ions, but with lower efficiency. It is nearly
	impermeable to the larger rubidium and cesium ions. Mediates glutamate-independent Ca(2+)
	entry into neurons upon acidosis. This Ca(2+) overloading is toxic for cortical neurons and may
	be in part responsible for ischemic brain injury. Heteromeric channel assembly seems to
	modulate channel properties. Functions as a postsynaptic proton receptor that influences
	intracellular Ca(2+) concentration and calmodulin-dependent protein kinase II phosphorylation
	and thereby the density of dendritic spines. Modulates activity in the circuits underlying innate
	fear. {ECO:0000269 PubMed:11988176, ECO:0000269 PubMed:12843249,
	ECO:0000269 PubMed:15369669, ECO:0000269 PubMed:15578512,
	ECO:0000269 PubMed:17060608, ECO:0000269 PubMed:17662962}.
Molecular Weight:	60.8 kDa Including tag.
UniProt:	Q6NXK8
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Handling Format:	Liquid
	Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process