antibodies .- online.com





CAND1 Protein (AA 2-1230) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	CAND1
Protein Characteristics:	AA 2-1230
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CAND1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

ASASYHISNL LEKMTSSDKD FRFMATNDLM TELQKDSIKL DDDSERKVVK MILRLLEDKN
GEVQNLAVKC LGPLVSKVKE YQVETIVDTL CTNMLSDKEQ LRDISSIGLK TVIGELPPAS
SGSALAANVC KKITGRLTSA IAKQEDVSVQ LEALDIMADM LSRQGGLLVN FHPSILTCLL
PQLTSPRLAV RKRTIIALGH LVMSCGNIVF VDLIEHLLSE LSKNDSMSTT RTYIQCIAAI
SRQAGHRIGE YLEKIIPLVV KFCNVDDDEL REYCIQAFES FVRRCPKEVY PHVSTIINIC
LKYLTYDPNY NYDDEDEDEN AMDADGGDDD DQGSDDEYSD DDDMSWKVRR AAAKCLDAVV
STRHEMLPEF YKTVSPALIA RFKEREENVK ADVFHAYLSL LKQTRPVQSW LCDPDAMEQG
DTPLTMLQSQ VPNIVKALHK QMKEKSVKTR QCCFNMLTEL VNVLPGALTQ HIPVLVPGII
FSLNDKSSSS NLKIDALSCL YVILCNHSPQ VFHPHVQALV PPVVACVGDP FYKITSEALL
VTQQLVKVIR PLDQPSSFDA TPYIKDLFTC TIKRLKAADI DQEVKERAIS CMGQIICNLG
DNLGPDLSNT LQIFLERLKN EITRLTTVKA LTLIAGSPLK IDLRPVLGEG VPILASFLRK
NQRALKLGTL SALDILIKNY SDSLTAAMID AVLDELPPLI SESDMHVSQM AISFLTTLAK

VYPSSLSKIS GSILNELIGL VRSPLLQGGA LSAMLDFFQA LVVTGTNNLG YMDLLRMLTG
PVYSQSTALT HKQSYYSIAK CVAALTRACP KEGPAVVGQF IQDVKNSRST DSIRLLALLS
LGEVGHHIDL SGQLELKSVI LEAFSSPSEE VKSAASYALG SISVGNLPEY LPFVLQEITS
QPKRQYLLLH SLKEIISSAS VAGLKPYVEN IWALLLKHCE CAEEGTRNVV AECLGKLTLI
DPETLLPRLK GYLISGSSYA RSSVVTAVKF TISDHPQPID PLLKNCIGDF LKTLEDPDLN
VRRVALVTFN SAAHNKPSLI RDLLDSVLPH LYNETKVRKE LIREVEMGPF KHTVDDGLDI
RKAAFECMYT LLDSCLDRLD IFEFLNHVED GLKDHYDIKM LTFLMLVRLS TLCPSAVLQR
LDRLVEPLRA TCTTKVKANS VKQEFEKQDE LKRSAMRAVA ALLTIPEAEK SPLMSEFQSQ
ISSNPELAAI FESIQKDSSS TNLESMDTS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Cand1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate

through size exclusion chromatography. Eluste fractions are analyzed by SDS-PAGI Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein efactor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugate deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECC:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest		
Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein in factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugate deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). {ECC:00000250}. Molecular Weight: 137.2 kDa Including tag. UniProt: Q62Q38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest		2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of actor. The exchange activity of CAND1 is coupled with cycles of neddylation conjuga deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECC:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Target Details Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugate deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECO:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Sterility:	0.22 µm filtered
Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugate deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). {ECO:0000250}. Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Endotoxin Level:	Protein is endotoxin free.
Target: CAND1 Alternative Name: Cand1 (CAND1 Products) Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugateneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECO:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Grade:	Crystallography grade
Alternative Name: Cand1 (CAND1 Products) Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugal deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). {ECO:0000250}. Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Target Details	
Background: Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugal deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECO:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Target:	CAND1
promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein of factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugar deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of complex and promoting exchange of the F-box protein. Probably plays a similar role in cullin-RING E3 ubiquitin ligase complexes (By similarity). (ECO:0000250). Molecular Weight: 137.2 kDa Including tag. UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Alternative Name:	Cand1 (CAND1 Products)
UniProt: Q6ZQ38 Pathways: Regulation of Actin Filament Polymerization Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Background:	Key assembly factor of SCF (SKP1-CUL1-F-box protein) E3 ubiquitin ligase complexes that promotes the exchange of the substrate-recognition F-box subunit in SCF complexes, thereby playing a key role in the cellular repertoire of SCF complexes. Acts as a F-box protein exchange factor. The exchange activity of CAND1 is coupled with cycles of neddylation conjugation: in the deneddylated state, cullin-binding CAND1 binds CUL1-RBX1, increasing dissociation of the SCF complex and promoting exchange of the F-box protein. Probably plays a similar role in other cullin-RING E3 ubiquitin ligase complexes (By similarity). {ECO:0000250}.
Pathways: Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Molecular Weight:	137.2 kDa Including tag.
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	UniProt:	Q6ZQ38
Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Pathways:	Regulation of Actin Filament Polymerization
as well. As the protein has not been tested for functional studies yet we cannot offer a though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
options with you in detail to assure that you receive your protein of interest.	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

Application Details

Images

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process