



[Go to Product page](#)

Datasheet for ABIN3135879
LSD1 Protein (AA 1-853) (Strep Tag)

Overview

Quantity:	1 mg
Target:	LSD1 (KDM1A)
Protein Characteristics:	AA 1-853
Origin:	Mouse
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This LSD1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: M L S G K K A A A A A A A A A A A A G T E A G S G A A G G A E N G S E V A A P P A G L T G P T D M A T G A A G E R T
P R K K E P P R A S P P G G L A E P P G S A G P Q A G P T A G P G S A T P M E T G I A E T P E G R R T S R R K R A K V E
Y R E M D E S L A N L S E D E Y Y S E E E R N A K A E K E K K L P P P P P Q A P P E E N E S E P E E P S G V E G A A F
Q S R L P H D R M T S Q E A A C F P D I I S G P Q Q T Q K V F L F I R N R T L Q L W L D N P K I Q L T F E A T L Q Q L E
A P Y N S D T V L V H R V H S Y L E R H G L I N F G I Y K R I K P L P I K K T G K V I I G S G V S G L A A A R Q L Q S
F G M D V T L L E A R D R V G G R V A T F R K G N Y V A D L G A M V V T G L G G N P M A V V S K Q V N M E L A K I K Q K
C P L Y E A N G Q A V P K E K D E M V E Q E F N R L L E A T S Y L S H Q L D F N V L N N K P V S L G Q A L E V V I Q L Q
E K H V K D E Q I E H W K K I V K T Q E E L K E L L N K M V N L K E K I K E L H Q Q Y K E A S E V K P P R D I T A E F L
V K S K H R D L T A L C K E Y D E L A E T Q G K L E E K L Q E L E A N P P S D V Y L S S R D R Q I L D W H F A N L E F A
N A T P L S T L S L K H W D Q D D D F E F T G S H L T V R N G Y S C V P V A L A E G L D I K L N T A V R Q V R Y T A S G
C E V I A V N T R S T S Q T F I Y K C D A V L C T L P L G V L K Q Q P P A V Q F V P P L P E W K T S A V Q R M G F G N L
N K V V L C F D R V F W D P S V N L F G H V G S T T A S R G E L F L F W N L Y K A P I L L A L V A G E A A G I M E N I S

DDVIVGRCLA ILKGIFGSSA VPQPKETVVS RWRADPWARG SYSYVAAGSS GNDYDLMAQP
ITPGPSIPGA PQPIPLFFA GEHTIRNYPA TVHGALLSGL REAGRIADQF LGAMYTLPRQ
ATPGVPAQQS PSM

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	LSD1 (KDM1A)
Alternative Name:	Kdm1a (KDM1A Products)
Background:	<p>Lysine-specific histone demethylase 1A (EC 1.14.99.66) (BRAAF35-HDAC complex protein BHC110) (Flavin-containing amine oxidase domain-containing protein 2),FUNCTION: Histone demethylase that can demethylate both 'Lys-4' (H3K4me) and 'Lys-9' (H3K9me) of histone H3, thereby acting as a coactivator or a corepressor, depending on the context. Acts by oxidizing the substrate by FAD to generate the corresponding imine that is subsequently hydrolyzed. Acts as a corepressor by mediating demethylation of H3K4me, a specific tag for epigenetic transcriptional activation. Demethylates both mono- (H3K4me1) and di-methylated (H3K4me2) H3K4me. May play a role in the repression of neuronal genes. Alone, it is unable to demethylate H3K4me on nucleosomes and requires the presence of RCOR1/CoREST to achieve such activity. Also acts as a coactivator of androgen receptor (ANDR)-dependent transcription, by being recruited to ANDR target genes and mediating demethylation of H3K9me, a specific tag for epigenetic transcriptional repression. The presence of PRKCB in ANDR-containing complexes, which mediates phosphorylation of 'Thr-6' of histone H3 (H3T6ph), a specific tag that prevents demethylation H3K4me, prevents H3K4me demethylase activity of KDM1A. Demethylates di-methylated 'Lys-370' of p53/TP53 which prevents interaction of p53/TP53 with TP53BP1 and represses p53/TP53-mediated transcriptional activation (By similarity). Demethylates and stabilizes the DNA methylase DNMT1 (By similarity). Demethylates methylated 'Lys-44' and methylated 'Lys-119' of SOX2 (By similarity). Required for gastrulation during embryogenesis. Component of a RCOR/GFI/KDM1A/HDAC complex that suppresses, via histone deacetylase (HDAC) recruitment, a number of genes implicated in multilineage blood cell development. Effector of SNAI1-mediated transcription repression of E-</p>

Target Details

cadherin/CDH1, CDN7 and KRT8. Required for the maintenance of the silenced state of the SNAI1 target genes E-cadherin/CDH1 and CDN7. {ECO:0000250|UniProtKB:O60341, ECO:0000269|PubMed:17707228, ECO:0000269|PubMed:19098913}.

Molecular Weight: 92.9 kDa

UniProt: [Q6ZQ88](#)

Pathways: [Regulation of Hormone Metabolic Process](#), [Regulation of Hormone Biosynthetic Process](#), [Negative Regulation of intrinsic apoptotic Signaling](#), [Warburg Effect](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Handling

Expiry Date: Unlimited (if stored properly)