

Datasheet for ABIN3135906 **BRD2 Protein (AA 1-798) (Strep Tag)**



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	250 μg
Target:	BRD2
Protein Characteristics:	AA 1-798
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This BRD2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details				
Brand:	AliCE®			
Sequence:	MLQNVTPHKL PGEGNAGLLG LGPEAAAPGK RIRKPSLLYE GFESPTMASV PALQLAPANP			
	PPPEVSNPKK PGRVTNQLQY LHKVVMKALW KHQFAWPFRQ PVDAVKLGLP DYHKIIKQPM			
	DMGTIKRRLE NNYYWAASEC MQDFNTMFTN CYIYNKPTDD IVLMAQTLEK IFLQKVASMP			
	QEEQELVVTI PKNSHKKGAK LAALQGSITS AHQVPAVSSV SHTALYTPPP EIPTTVLNIP			
	HPSVISSPLL KSLHSAGPPL LAVSAAPPAQ PLAKKKGVKR KADTTTPTPT AILAPGSPAS			
	PPGSLEPKAA RLPPMRRESG RPIKPPRKDL PDSQQQHQSS KKGKLSEQLK HCNGILKELL			
	SKKHAAYAWP FYKPVDASAL GLHDYHDIIK HPMDLSTVKR KMENRDYRDA QEFAADVRLM			
	FSNCYKYNPP DHDVVAMARK LQDVFEFRYA KMPDEPLEPG PLPVSTALPP GLTKSSSESS			
	SEESSSESSS EEEEEEEEDE DEEESESSDS EEERAHRLAE LQEQLRAVHE QLAALSQGPI			
	SKPKRKREKK EKKKKRKAEK HRGRIGIDED DKGPRAPRPP QPKKSKKAGG GGSNATTLSH			
	PGFGTSGGSS NKLPKKSQKT APPVLPTGYD SEEEEESRPM SYDEKRQLSL DINKLPGEKL			

GRVVHIIQAR EPSLRDSNPE EIEIDFETLK PSTLRELERY VLSCLRKKPR KPYTIRKPVG
KTKEELALEK KRELEKRLQD VSGQLNSTKK PPKKASEKTE SSAQQVAVSR LSASSSSSDS
SSSSSSSSS DTSDSDSG

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression

Product Details

Product Details		
	System (AliCE®).	
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).	
Grade:	custom-made	
Target Details		
Target:	BRD2	
Alternative Name:	Brd2 (BRD2 Products)	
Background:	Bromodomain-containing protein 2 (Female sterile homeotic-related protein 1) (Fsrg-	
	1),FUNCTION: Chromatin reader protein that specifically recognizes and binds histone H4	
	acetylated at 'Lys-5' and 'Lys-12' (H4K5ac and H4K12ac, respectively), thereby controlling gene	
	expression and remodeling chromatin structures (PubMed:14731392). Recruits transcription	
	factors and coactivators to target gene sites, and activates RNA polymerase II machinery for	
	transcriptional elongation (By similarity). Plays a key role in genome compartmentalization via	
	its association with CTCF and cohesin: recruited to chromatin by CTCF and promotes	
	formation of topologically associating domains (TADs) via its ability to bind acetylated histones,	
	contributing to CTCF boundary formation and enhancer insulation (PubMed:28388437). Also	
	recognizes and binds acetylated non-histone proteins, such as STAT3 (PubMed:28262505).	
	Involved in inflammatory response by regulating differentiation of naive CD4(+) T-cells into T-	
	helper Th17: recognizes and binds STAT3 acetylated at 'Lys-87', promoting STAT3 recruitment	
	to chromatin (PubMed:28262505). In addition to acetylated lysines, also recognizes and binds	
	lysine residues on histones that are both methylated and acetylated on the same side chain to	
	form N6-acetyl-N6-methyllysine (Kacme), an epigenetic mark of active chromatin associated	
	with increased transcriptional initiation (By similarity). Specifically binds histone H4 acetyl-	
	methylated at 'Lys-5' and 'Lys-12' (H4K5acme and H4K12acme, respectively) (By similarity).	
	{ECO:0000250 UniProtKB:P25440, ECO:0000269 PubMed:14731392,	
	ECO:0000269 PubMed:28262505, ECO:0000269 PubMed:28388437}.	
Molecular Weight:	88.1 kDa	
UniProt:	Q7JJ13	

Pathways: Chromatin Binding, SARS-CoV-2 Protein Interactome, The Global Phosphorylation Landscape of SARS-CoV-2 Infection

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.	
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	12 months	