antibodies .- online.com





Desmoglein 1 beta (DSG1B) (AA 50-1060) protein (rho-1D4 tag)



Go to Product page

Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | Desmoglein 1 beta (DSG1B) |
| Protein Characteristics: | AA 50-1060 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | rho-1D4 tag |
| Application: | Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

Sequence:

EWIKFAAACR EGEDNSKRNP IAKIHSDCAA NQPVTYRISG VGIDQPPYGI FIINQKTGEI
NITSIVDREV TPFFIIYCRA LNAQGQDLEN PLELRVRVMD INDNPPVFSM TTFLGQIEEN
SNANTLVMKL NATDADEPNN LNSMIAFKII RQEPSDSPMF IINRKTGEIR TMNNFLDREQ
YSQYSLVVRG SDRDGGADGM SAESECSITI LDVNDNIPYL EQSSYDIEIE ENALHSQLVQ
IRVIDLDEEF SDNWKAIIFF ISGNEGNWFE IEMNERTNVG TLKVVKPLDY EAMKNLQLSI
GVRNVAEFHQ SIISQYRLTA TMVTVTVLNV IEGSVFRPGS KTFVVDSRME ANHRVGEFVA
TDLDTGRAST NVRYEMGNNP ENLLVVDSRT GIITLRNRVT MEQYQRLNGE YKGTVLSIDD
SLQRTCTGTI VIELSGTGWV PGSDGGGSSS GSGGNRDPVT NGYQGTSTVG PQRVTGSGGV
TSSGGGSGVN NTPGRQNPLD EPEPEPFDIT EDNVHFGPAG IGLLIMGFLV LGLVPFLLIC
CDCGGAPGGG AGFEPVPECS DGAIHTWAIE GPQPEPHDGI TTICVPQMPP GNANVIEYID
NSGVYTNEYC GREMQDLGGG ERTTGFELMD GVKTSAAPEI CQEYSGTLRR NSMRECRDGG
LNMNFMESYF CQKAYAYADE DEGRPSNDCL LIYDIEGVGS PAGSVGCCSF IGEDLDESFL

DTLGPKFKKL ADISLGKEID SYPDPDSSWP PQSTEPMCPQ STEPLGSGYP PISPHFGTTT VISENAYPSG PGVQHPLPIP DPLGYGNVTV RESYATSGTL KPSVHFHDNQ QASNVVVTER VVGPVPGADL HGMLEIPDLR DGTNVIVTER VIAPGSSLPT SLTIPNPRET SNVVVTERVI QPTSGMIGNL SMTPELSSAQ NVIVTERVVS GAGMSGIAGT AGLGGVGGIG SSGLVSTTMG AAGTGLNMGG TATIGHMRSS SDHHFSQTIG SASPNMARSR ITKYSTVQYS K

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Dsg1b Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step

Product Details

| Sterility: 0.22 µm filtered Endotoxin Levet Protein is endotoxin-free Grade: Crystallography grade Target Details Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions, Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. | 1 Toddot Details | |
|--|---------------------|--|
| Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade Target Details Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell achesion. Molecular Weight: 109.8 kDa Including tag. UniProt: O7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guranter though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. | | |
| Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade Target Details Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt. Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. | Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Target Details Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Sterility: | 0.22 μm filtered |
| Target Details Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Endotoxin Level: | Protein is endotoxin-free. |
| Target: Desmoglein 1 beta (DSG1B) Alternative Name: Dsg1b (DSG1B Products) Background: Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Grade: | Crystallography grade |
| Alternative Name: Dsg1b (DSG1B Products) Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Target Details | |
| Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Target: | Desmoglein 1 beta (DSG1B) |
| and intermediate filaments mediating cell-cell adhesion. Molecular Weight: 109.8 kDa Including tag. UniProt: Q7TSF1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Alternative Name: | Dsg1b (DSG1B Products) |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Background: | Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Molecular Weight: | 109.8 kDa Including tag. |
| Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | UniProt: | Q7TSF1 |
| as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Application Details | |
| recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Application Notes: | as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee |
| Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Comment: | recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible |
| Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Restrictions: | For Research Use only |
| Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. | Handling | |
| Handling Advice: Avoid repeated freeze-thaw cycles. | Format: | Liquid |
| | Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Storage: -80 °C | Handling Advice: | Avoid repeated freeze-thaw cycles. |
| | Storage: | -80 °C |

Handling

| Storage Comment: | Store at -80°C. |
|------------------|--------------------------------|
| Expiry Date: | Unlimited (if stored properly) |