

# Datasheet for ABIN3136042 **TDRKH Protein (AA 1-560) (Strep Tag)**

Go to Product page

### Overview

Quantity:	250 μg
Target:	TDRKH
Protein Characteristics:	AA 1-560
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TDRKH protein is labelled with Strep Tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MSTERTSWTN LSTIQKIALG LGIPASATVA YILYRRYRES REERLTFVGE DDIEIEMRVP
	QEAVKLIIGR QGANIKQLRK QTGARIDVDT EDVGDERVLL ISGFPVQVCK AKAAIHQILT
	ENTPVFEQLS VPQRSVGRII GRGGETIRSI CKASGAKITC DKESEGTLLL SRLIKISGTQ
	KEVAAAKHLI LEKVSEDEEL RKRIAHSAET RVPRKQPISV RREEVTEPGG AGEAALWKNT
	NSSMGPATPL EVPLRKGGGD MVVVGPKEGS WEKPNDDSFQ NSGAQSSPET SMFEIPSPDF
	SFHADEYLEV YVSASEHPNH FWIQIIGSRS LQLDKLVSEM TQHYENSLPE DLTVHVGDIV
	AAPLSTNGSW YRARVLGTLE NGNLDLYFVD FGDNGDCALK DLRALRSDFL SLPFQAIECS
	LARIAPTGEE WEEEALDEFD RLTHCADWKP LVAKISSYVQ TGISTWPKIY LYDTSDEKKL
	DIGLELVRKG YAVELPEDME ENRTVPNMLK DMATETDDSL ASILTETKKS PEEMPHTLSC
	LSLSEAASMS GDDNLEDDLF
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

# system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

### Target Details

Target:	TDRKH
Alternative Name:	Tdrkh (TDRKH Products)
Background:	Tudor and KH domain-containing protein (Tudor domain-containing protein 2),FUNCTION:  Participates in the primary piRNA biogenesis pathway and is required during spermatogenesis to repress transposable elements and prevent their mobilization, which is essential for the germline integrity. The piRNA metabolic process mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and govern the methylation and subsequent repression of transposons. Required for the final steps of primary piRNA biogenesis by participating in the processing of 31-37 nt intermediates into mature piRNAs. May act in pi-bodies and piP-bodies by transferring piRNA precursors or intermediates to or between these granules. {ECO:0000269 PubMed:23714778}.
Molecular Weight:	62.1 kDa
UniProt:	Q80VL1
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	

## Handling

Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months