

# Datasheet for ABIN3136062

## MAP3K11 Protein (AA 1-850) (Strep Tag)



#### Go to Product page

| ()     | ve  | rvi   | 6      | W   |
|--------|-----|-------|--------|-----|
| $\sim$ | v C | 1 V I | $\sim$ | v v |

| Quantity:                     | 250 μg                                           |
|-------------------------------|--------------------------------------------------|
| Target:                       | MAP3K11                                          |
| Protein Characteristics:      | AA 1-850                                         |
| Origin:                       | Mouse                                            |
| Source:                       | Cell-free protein synthesis (CFPS)               |
| Protein Type:                 | Recombinant                                      |
| Purification tag / Conjugate: | This MAP3K11 protein is labelled with Strep Tag. |
| Application:                  | ELISA, SDS-PAGE (SDS), Western Blotting (WB)     |

| Product Details |                                                                   |  |
|-----------------|-------------------------------------------------------------------|--|
| Brand:          | AliCE®                                                            |  |
| Sequence:       | MEPLKNLFLK SPLGSWNGSG SGGGGGTGGV RPEGSPKATA AYANPVWTAL FDYEPNGQDE |  |
|                 | LALRKGDRVE VLSRDAAISG DEGWWAGQVG GQVGIFPSNY VSRGGGPPPC EVASFQELRL |  |
|                 | EEVIGIGGFG KVYRGSWRGE LVAVKAARQD PDEDISVTAE SVRQEARLFA MLAHPNIIAL |  |
|                 | KAVCLEEPNL CLVMEYAAGG PLSRALAGRR VPPHVLVNWA VQIARGMHYL HCEALVPVIH |  |
|                 | RDLKSNNILL LQPIEGDDME HKTLKITDFG LAREWHKTTQ MSAAGTYAWM APEVIKASTF |  |
|                 | SKGSDVWSFG VLLWELLTGE VPYRGIDCLA VAYGVAVNKL TLPIPSTCPE PFAQLMADCW |  |
|                 | AQDPHRRPDF ASILQQLEAL EAQVLREMPR DSFHSMQEGW KREIQGLFDE LRAKEKELLS |  |
|                 | REEELTRAAR EQRSQAEQLR RREHLLAQWE LEVFERELTL LLQQVDRERP HVRRRRGTFK |  |
|                 | RSKLRARDGG ERISMPLDFK HRITVQASPG LDRRRNVFEV GAGDSPTFPR FRAIQLEPTE |  |
|                 | SGQTWGRQSP RRLEDSSNGE RRACWAWGPS SPKPGEAQNG RRRSRMDEAT WYLDSDDSSP |  |
|                 | LGSPSTPPAL NGNPPRPSPE PEEPRRAGPT ERGNSSGTPK LIQRALLRGT ALLASLGLGR |  |

DLQPPGGLSR ERGESPTAPP PAQMPSPCPP ELPSTPLIRL SQTTPDAHSS PTPGPLLLDL GVPSGQPSAK SPRREETRGR TVSPPPGISR SAPGTPGTPR SPPLGLISRP RPSPLRSRID PWSFVSAGPR PSPLPSPQPA PRRAPWTLFP DSDPFWDSPP ANPFRGGSQD CRTQTKDMGA QAPWAPEAGP

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

## **Product Details** Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made **Target Details** Target: MAP3K11 Alternative Name: Map3k11 (MAP3K11 Products) Background: Mitogen-activated protein kinase kinase kinase 11 (EC 2.7.11.25) (Mixed lineage kinase 3), FUNCTION: Activates the JUN N-terminal pathway. Required for serum-stimulated cell proliferation and for mitogen and cytokine activation of MAPK14 (p38), MAPK3 (ERK) and MAPK8 (JNK1) through phosphorylation and activation of MAP2K4/MKK4 and MAP2K7/MKK7. Plays a role in mitogen-stimulated phosphorylation and activation of BRAF, but does not phosphorylate BRAF directly. Influences microtubule organization during the cell cycle (By similarity). {ECO:0000250}. Molecular Weight: 93.2 kDa UniProt: 080XI6 Pathways: MAPK Signaling, Interferon-gamma Pathway **Application Details** In addition to the applications listed above we expect the protein to work for functional studies Application Notes: as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

modifications.

even the most difficult-to-express proteins, including those that require post-translational

protein production are removed, leaving only the protein production machinery and the

mitochondria to drive the reaction. During our lysate completion steps, the additional

During lysate production, the cell wall and other cellular components that are not required for

components needed for protein production (amino acids, cofactors, etc.) are added to produce

something that functions like a cell, but without the constraints of a living system - all that's

### **Application Details**

|                  | needed is the DNA that codes for the desired protein!                                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Restrictions:    | For Research Use only                                                                                                                                          |
| Handling         |                                                                                                                                                                |
| Format:          | Liquid                                                                                                                                                         |
| Buffer:          | The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b> |
| Handling Advice: | Avoid repeated freeze-thaw cycles.                                                                                                                             |
| Storage:         | -80 °C                                                                                                                                                         |
| Storage Comment: | Store at -80°C.                                                                                                                                                |
| Expiry Date:     | 12 months                                                                                                                                                      |