-online.com antibodies

Datasheet for ABIN3136089 ECE2 Protein (AA 1-881) (rho-1D4 tag)



Overview

Quantity:	1 mg
Target:	ECE2
Protein Characteristics:	AA 1-881
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ECE2 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	MASPRTPVSP PELPEKNFQY RQVQYWDQRY KDAADSGPYE WFGDFASFRA LLEPELCPED
	RILVLGCGNS ALSYELFLGG FPNVTSVDYS PVVVAAMQVR YAHVPSLRWE TMDVRALDFP
	SGSFDVVLEK GTLDAMLAGE PDPWNVSSEG VHTVDQVLSE VGFQKRTRQL FGSHTQLELV
	LAGLILVLAA LLLGCLVALW VHRDPAHSTC VTEACIRVAG KILESLDRGV SPCQDFYQFS
	CGGWIRRNPL PNGRSRWNTF NSLWDQNQAI LKHLLENTTF NSSSEAERKT RSFYLSCLQS
	ERIEKLGAKP LRDLIDKIGG WNITGPWDED SFMDVLKAVA GTYRATPFFT VYVSADSKRS
	YSNITQVDQS GLFLPSRDYY LNRTANEKVL TAYLDYMVEL GVLLGGQPTS TREQMQQVLE
	LEIQLANITV PQDQRRDEEK IYHKMSISEL QALAPAVDWL EFLSFLLSPL ELGDSEPVVV
	YGMSYLQQVS ELINRTEPSI LNNYLIWNLV QKTTSSLDQR FETAQEKLLE TLYGTKKSCT
	PRWQTCISNT DDALGFALGS LFVKATFDRQ SKEIAEGMIN EIRSAFEETL GDLVWMDEKT
	RLAAKEKADA IYDMIGFPDF ILEPKELDDV YYGYEVSEDS FFQNMLNLYN FSAKVMADQL
	RKPPSRDQWS MTPQTVNAYY LPTKNEIVFP AGILQPPFYA HNHPKALNFG GIGVVMDHEL

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3136089 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

	THAFDDQGRE YDKEGNLRPW WQNESLTAFQ NHTACMEEQY SQYQVNGERL NGLQTLGENI
	ADNGGLKAAY NAYKAWLRKH GEEQPLPAVG LTNHQLFFVG FAQVWCSVRT PESSHEGLVT
	DPHSPARFRV LGTLSNSRDF LRHFGCPVGS PMNPGQLCEV W
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Ece2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:
	 Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3136089 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

Purity:949 % as determined by SDS PAGE. Size Exclusion Chromatography and Western Blot.Striity0.22 µm filteredEndotoxin Level.Protein is endotoxin free.Crade:Crystallography gradeTarget DetailsECE2Target.ECE2 Products)Background:ECC2 Products)Background:Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neuroenspin, angiotensin I, substance P, proenkephalin- derived peptides, and prodynophin-derived peptides. May limit beta-smyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO:0000269/PubMed12464614).Molecular Weight:10.9 kDa Including tag.UmProt:Q80260Pathways:Pequilation of Ci-Protein Coupled Receptor Protein SignalingApplication DetailsIn addition to the applicationa listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurante inougn.Comment:Protein has not been tested for subtivy up to reases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein law auguest al higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquidEufer:100 mM NaCL, 20 mM Hepes, 10% glycerol. PH value is at the discretion of the menufacturer.	Product Details	
Endotoxin Level: Protein is endotoxin-free. Grade: Crystallography grade Target Details ECE2 Target: ECE2 (ECE2 Products) Background: Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin-derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO.0000269/PubMed:12464614). Molecular Weight: 100.9 kDa Including tag. UniProt: Q80Z60 Pathways: Regulation of C-Protein Coupled Receptor Protein Signaling Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher mulecular weight tag (eg. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Grade: Crystallography grade Target Details ECE2 Target: ECE2 (ECE2 Products) Background Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalinderived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO.0000269(PubMed:12464614). Molecular Weight: 100.9 kDa Including tag. UniProt: Ce02260 Pathways: Regulation of C-Protein Coupled Receptor Protein Signaling Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein ab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Sterility:	0.22 µm filtered
Target Details Target: ECE2 Alternative Name: Ece2 (ECE2 Products) Background: Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin-derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO:0000269IPubMed:12464614). Molecular Weight: 100.9 kDa including tag. UniProt: Q80260 Pathways: Regulation of G-Protein Coupled Receptor Protein Signaling Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Endotoxin Level:	Protein is endotoxin-free.
Target:ECE2Target:ECE2Alternative Name:Ece2 (ECE2 Products)Background:Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin- derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO.0000269]PubMed:12464614).Molecular Weight:100.9 kDa Including tag.UniProt:Q80260Pathways:Regulation of G-Protein Coupled Receptor Protein SignalingApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquid	Grade:	Crystallography grade
Alternative Name: Ece2 (ECE2 Products) Background: Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin-derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO:0000269)PubMed:12464614). Molecular Weight: 100.9 kDa Including tag. UniProt: Q80260 Pathways: Regulation of G-Protein Coupled Receptor Protein Signaling Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insolubile our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Target Details	
Background:Converts big endothelin-1 to endothelin-1. Also involved in the processing of various neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin- derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (EC0:0000269)PubMed:12464614).Molecular Weight:100.9 kDa Including tag.UniProt:Q80260Pathways:Regulation of G-Protein Coupled Receptor Protein SignalingApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	Target:	ECE2
Incurrendoorine peptides, including neurotensin, angiotensin I, substance P, proenkephalin- derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity. (ECO:0000269)PubMed:12464614).Molecular Weight:100.9 kDa Including tag.UniProt:Q80260Pathways:Regulation of G-Protein Coupled Receptor Protein SignalingApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insolubile our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquid	Alternative Name:	Ece2 (ECE2 Products)
UniProt:Q80260Pathways:Regulation of G-Protein Coupled Receptor Protein SignalingApplication DetailsApplication Notes:In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	Background:	neuroendocrine peptides, including neurotensin, angiotensin I, substance P, proenkephalin- derived peptides, and prodynorphin-derived peptides. May limit beta-amyloid peptide accumulation in brain. May also have methyltransferase activity.
Pathways: Regulation of G-Protein Coupled Receptor Protein Signaling Application Details In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Molecular Weight:	100.9 kDa Including tag.
Application DetailsApplication Notes:In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	UniProt:	Q80Z60
Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:Liquid	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Application Notes:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
Handling Format: Liquid	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
Format: Liquid	Restrictions:	For Research Use only
	Handling	
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	Format:	Liquid
	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3136089 | 05/01/2024 | Copyright antibodies-online. All rights reserved.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)