# antibodies .- online.com





# SMCR7L Protein (AA 1-463) (rho-1D4 tag)





Go to Product page

#### Overview

| Quantity:                     | 1 mg   |
|-------------------------------|--|
| Target:                       | SMCR7L   |
| Protein Characteristics:      | AA 1-463   |
| Origin:                       | Mouse  |
| Source:                       | Insect Cells   |
| Protein Type:                 | Recombinant  |
| Purification tag / Conjugate: | This SMCR7L protein is labelled with rho-1D4 tag.                    |
| Application:                  | ELISA, Crystallization (Crys), SDS-PAGE (SDS), Western Blotting (WB) |

### **Product Details**

## Sequence:

MAGAGERKGK KDDNGIGTAI DFVLSNARLV LGVGGAAMLG IATLAVKRMY DRAISAPTSP
TRLSHSGKRS WEEPNWMGSP RLLNKDMKAG LSRSLQTLPT DSSAFDTDTF CPPRPKPLAR
RGQVDLKKSR LRMSLQEKLL SYYRNRAAIP AGEQARAKQA AVDICAELRS FLRAKLPDMP
LRDMYLSGSL YDDLQVVTAD HIQLIVPLVL EQNLWSCIPG EDTIMNVPGF FLVRRENPEY
FPRGSSYWDR CVVGGYLSPK TVADTFEKVV AGSINWPAIG SLLDYVIRPA PPPEALTLEV
QYEKDKHLVI DFLPSVTLGD TVLVARPHRL AQYDNLWRLS LRPAETARLR ALDQADSGCR
SLCLKILKAI CKSTPALGHL TASQLTNVIL HLAQEEADWS PDMLADRFLQ ALRGLISYLE
AGVLPSALNP KVNLFAELTP QEIDELGYTL YCSLSEPEVL LQT

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Mief1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to

ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

## Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

# Target Details

| Target:             | SMCR7L  |
|---------------------|---|
| Alternative Name:   | Mief1 (SMCR7L Products)   |
| Background:         | Mitochondrial outer membrane protein which regulates mitochondrial fission. Promotes the          |
|                     | recruitment and association of the fission mediator dynamin-related protein 1 (DNM1L) to the      |
|                     | mitochondrial surface independently of the mitochondrial fission FIS1 and MFF proteins.           |
|                     | Regulates DNM1L GTPase activity and DNM1L oligomerization. Binds ADP and can also bind            |
|                     | GDP, although with lower affinity. Does not bind CDP, UDP, ATP, AMP or GTP. Inhibits DNM1L        |
|                     | GTPase activity in the absence of bound ADP. Requires ADP to stimulate DNM1L GTPase               |
|                     | activity and the assembly of DNM1L into long, oligomeric tubules with a spiral pattern, as        |
|                     | opposed to the ring-like DNM1L oligomers observed in the absence of bound ADP. Does not           |
|                     | require ADP for its function in recruiting DNM1L. {ECO:0000269 PubMed:23283981,                   |
|                     | ECO:0000269 PubMed:24508339}.   |
| Molecular Weight:   | 52.4 kDa Including tag.   |
| UniProt:            | Q8BGV8  |
| Application Details |   |
| Application Notes:  | In addition to the applications listed above we expect the protein to work for functional studies |
|                     | as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee |
|                     | though.   |
| Comment:            | Protein has not been tested for activity yet. In cases in which it is highly likely that the      |
|                     | recombinant protein with the default tag will be insoluble our protein lab may suggest a higher   |
|                     | molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible  |
|                     | options with you in detail to assure that you receive your protein of interest.                   |
| Restrictions:       | For Research Use only   |
| Handling            |   |
| Format:             | Liquid  |
| Buffer:             | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.        |
| Handling Advice:    | Avoid repeated freeze-thaw cycles.  |
|                     |   |
| Storage:            | -80 °C  |

Expiry Date:

Unlimited (if stored properly)

**Images** 



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process