# antibodies .- online.com





# SUN2 Protein (AA 248-731) (His tag)



**Image** 



Go to Product page

#### Overview

Quantity:	1 mg
Target:	SUN2
Protein Characteristics:	AA 248-731
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SUN2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

### **Product Details**

## Sequence:

YPLGLQTLQP AVVSWWAAKE SRKQPEVWES RDASQHFQAE QRVLSRVHSL ERRLEALAAD
FSSNWQKEAI RLERLELRQG AAGHGGGSSL SHEDALSLLE GLVSRREATL KEDLRRDTVA
HIQEELATLR AEHHQDSEDL FKKIVQASQE SEARVQQLKT EWKSMTQEAF QESSVKELGR
LEAQLASLRQ ELAALTLKQN SVADEVGLLP QKIQAARADV ESQFPDWIRQ FLLGDRGARS
GLLQRDEMHA QLQELENKIL TKMAEMQGKS AREAAASLGQ ILQKEGIVGV TEEQVHRIVK
QALQRYSEDR IGMVDYALES GGASVISTRC SETYETKTAL LSLFGIPLWY HSQSPRVILQ
PDVHPGNCWA FQGPQGFAVV RLSARIRPTA VTLEHVPKAL SPNSTISSAP KDFAIFGFDE
DLQQEGTLLG TFAYDQDGEP IQTFYFQASK MATYQVVELR ILTNWGHPEY TCIYRFRVHG EPAH
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Sun2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to

ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in bacterial culture:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

## **Target Details**

Target: SUN2

Alternative Name:

Sun2 (SUN2 Products)


# Target Details

Background:	Component of SUN-protein-containing multivariate complexes also called LINC complexes
	which link the nucleoskeleton and cytoskeleton by providing versatile outer nuclear membrane
	attachment sites for cytoskeletal filaments. Specifically, Syne2 and Sun2 assemble in arrays of
	transmembrane actin-associated nuclear (TAN) lines which are bound to F-actin cables and
	couple the nucleus to retrograde actin flow during actin-dependent nuclear movement.
	Required for interkinetic nuclear migration (INM) and essential for nucleokinesis and
	centrosome-nucleus coupling during radial neuronal migration in the cerebral cortex and during
	glial migration. Anchors chromosome movement in the prophase of meiosis and is involved in
	selective gene expression of coding and non-coding RNAs needed for gametogenesis. Required
	for telomere attachment to nuclear envelope and gametogenesis. May also function on
	endocytic vesicles as a receptor for Rab5-GDP and participate in the activation of Rab5.
	{ECO:0000269 PubMed:16380439, ECO:0000269 PubMed:19509342,
	ECO:0000269 PubMed:19843581, ECO:0000269 PubMed:19874786,
	ECO:0000269 PubMed:20724637}.
Molecular Weight:	55.4 kDa Including tag.
UniProt:	Q8BJS4
Pathways:	Maintenance of Protein Location, SARS-CoV-2 Protein Interactome, The Global Phosphorylation
	Landscape of SARS-CoV-2 Infection
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

## Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process