antibodies - online.com





PIK3CB Protein (AA 1-1064) (His tag)



Image



Overview

Quantity:	1 mg
Target:	PIK3CB
Protein Characteristics:	AA 1-1064
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PIK3CB protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MPPAMADNLD IWAVDSQIAS DGAISVDFLL PTGIYIQLEV PREATISYIK QMLWKQVHNY
PMFNLLMDID SYMFACVNQT AVYEELEDET RRLCDVRPFL PVLKLVTRSC DPAEKLDSKI
GVLIGKGLHE FDALKDPEVN EFRRKMRKFS EAKIQSLVGL SWIDWLKHTY PPEHEPSVLE
NLEDKLYGGK LVVAVHFENS QDVFSFQVSP NLNPIKINEL AIQKRLTIRG KEDEASPCDY
VLQVSGRVEY VFGDHPLIQF QYIRNCVMNR TLPHFILVEC CKIKKMYEQE MIAIEAAINR
NSSNLPLPLP PKKTRVISHI WDNNNPFQIT LVKGNKLNTE ETVKVHVRAG LFHGTELLCK
TVVSSEISGK NDHIWNEQLE FDINICDLPR MARLCFAVYA VLDKVKTKKS TKTINPSKYQ
TIRKAGKVHY PVAWVNTMVF DFKGQLRSGD VILHSWSSFP DELEEMLNPM GTVQTNPYAE
NATALHITFP ENKKQPCYYP PFDKIIEKAA ELASGDSANV SSRGGKKFLA VLKEILDRDP
LSQLCENEMD LIWTLRQDCR ENFPQSLPKL LLSIKWNKLE DVAQLQALLQ IWPKLPPREA
LELLDFNYPD QYVREYAVGC LRQMSDEELS QYLLQLVQVL KYEPFLDCAL SRFLLERALD
NRRIGQFLFW HLRSEVHTPA VSVQFGVILE AYCRGSVGHM KVLSKQVEAL NKLKTLNSLI

KLNAVKLSRA KGKEAMHTCL KQSAYREALS DLQSPLNPCV ILSELYVEKC KYMDSKMKPL WLVYSSRAFG EDSVGVIFKN GDDLRQDMLT LQMLRLMDLL WKEAGLDLRM LPYGCLATGD RSGLIEVVST SETIADIQLN SSNVAATAAF NKDALLNWLK EYNSGDDLDR AIEEFTLSCA GYCVASYVLG IGDRHSDNIM VKKTGQLFHI DFGHILGNFK SKFGIKRERV PFILTYDFIH VIQQGKTGNT EKFGRFRQCC EDAYLILRRH GNLFITLFAL MLTAGLPELT SVKDIQYLKD SLALGKSEEE ALKQFKQKFD EALRESWTTK VNWMAHTVRK DYRS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Mouse Pik3cb Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	PIK3CB
Alternative Name:	Pik3cb (PIK3CB Products)
Background:	Phosphoinositide-3-kinase (PI3K) that phosphorylates PtdIns (Phosphatidylinositol), PtdIns4P
	(Phosphatidylinositol 4-phosphate) and PtdIns(4,5)P2 (Phosphatidylinositol 4,5-bisphosphate)
	to generate phosphatidylinositol 3,4,5-trisphosphate (PIP3). PIP3 plays a key role by recruiting
	PH domain-containing proteins to the membrane, including AKT1 and PDPK1, activating
	signaling cascades involved in cell growth, survival, proliferation, motility and morphology.
	Involved in the activation of AKT1 upon stimulation by G-protein coupled receptors (GPCRs)

ligands such as CXCL12, sphingosine 1-phosphate, and lysophosphatidic acid. May also act downstream receptor tyrosine kinases. Required in different signaling pathways for stable platelet adhesion and aggregation. Plays a role in platelet activation signaling triggered by GPCRs, alpha-IIb/beta-3 integrins (ITGA2B/ ITGB3) and ITAM (immunoreceptor tyrosine-based activation motif)-bearing receptors such as GP6. Regulates the strength of adhesion of ITGA2B/ ITGB3 activated receptors necessary for the cellular transmission of contractile forces. Required for platelet aggregation induced by F2 (thrombin) and thromboxane A2 (TXA2). Has a role in cell survival. May have a role in cell migration. Involved in the early stage of autophagosome formation. Modulates the intracellular level of PtdIns3P (Phosphatidylinositol 3-phosphate) and activates PIK3C3 kinase activity. May act as a scaffold, independently of its lipid kinase activity to positively regulate autophagy. May have a role in insulin signaling as scaffolding protein in which the lipid kinase activity is not required. May have a kinase-independent function in regulating cell proliferation and in clathrin-mediated endocytosis. Mediator of oncogenic signal in cell lines lacking PTEN. The lipid kinase activity is necessary for its role in oncogenic transformation. Required for the growth of ERBB2 and RAS driven tumors. {ECO:0000269|PubMed:18544649, ECO:0000269|PubMed:18594509, ECO:0000269|PubMed:19515725, ECO:0000269|PubMed:19940148, ECO:0000269|PubMed:20065293, ECO:0000269|PubMed:21059846}.

122.7 kDa Including tag.

Target Details

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process