

Datasheet for ABIN3136355
TAF2 Protein (AA 1-1104) (His tag)[Go to Product page](#)

1 Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | TAF2 |
| Protein Characteristics: | AA 1-1104 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This TAF2 protein is labelled with His tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

Product Details

| | |
|-----------|--|
| Sequence: | MNRKKGDKGF ESPRPYKLTH QVVCINNINF QRKSVVGFVE LTIFPTVANL NRIKLNSKQC RIYRVRINDL EAAFIYNDPT LEVCHSESKQ RNLNYFSNAY AAASAVDPD AGNGELCIKV PSELWKHVDE LKVLKIHINF SLDQPKGGLH FVVPVSVEGSM AERGAHVFCSC GYQNSTRFWF PCVDSYSELC TWKLEFTVDA AMVAVSNGDL VETVYTHDMR KKTFHYMLTI PTAASNISLA IGPFEILVDP YMHEVTHFCL PQLPLLKHT TSYIHEVFEE YEEILTCRYP YSCFKTVFID EAYVEVAAYA SMSIFSTNLL HSAMIIDETP LTRCLAQAL AQQFFGCFIS RMSWSDEWVL KGISGYIYGL WMKKTFGVNE YHHWIKKEELD KIVAYELKTG GVLLHPIFGG GKEKDNPAH LHFSIKHPHT LSWEYTMFQ CKAHLVMRLI ENRISMEFML QVFNKLLSLA STASSQKFQS HMWSQMLVST YGFLKSISNV SGKDIQPLIK QWLDQSGVVK FYGSFAFNRK RNVLELEIKQ DYTSPGTQKY VGPLKVTVQE LDGSFNHTLQ IEENSLKHDI PCHSKSRRNK KKKIPLMNGE EVDMDLSAME ADSPLLWIRI DPDMSVLRKV EFEQADFMWQ YELRYERDVV AQQESILALE KFPTPASRLA LTDILEQEQC FYRVRMSACF CLAKIANSMV STWTGPPAMK SLFTRMFCKK |
|-----------|--|

TCPNIVKTNN FMSFQSYFLQ KTMPVAMALL RDVHNLCPKE VLTFLDLIK YNDNRKNKFS
DNYIRAEMID ALANSVTPAV SVNNEVRTLD NLNPDVRLIL EETRFLNME KLLPSYRHTI
TVSCLRAIRV LQKNGHVPSD ASLFKSYAEY GHFVDIRIAA LEAVVDYTKV DRSYEELQWL
LNMIQTDVPV YVRHKILNML TKNPPFTKNM ESPLCNEALV DQLWKLMNSG TAHDWRLRCG
AVDLYFTLFG LSRPSCLPLP ELGLVLNLKE KKAVLNPTII PEAGVGNQFS SSQDEEEVDM
DTVHDSQAFI SHHLNMLERP STPGLSKYRP HHHHHHHEHK KKKKKHKHKKH KHKHKHDSKD
KDREPFASFSS PASGRSVRSP SLSD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Taf2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step

Product Details

through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

| | |
|------------------|--|
| Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Protein is endotoxin free. |
| Grade: | Crystallography grade |

Target Details

| | |
|-------------------|---|
| Target: | TAF2 |
| Alternative Name: | Taf2 (TAF2 Products) |
| Background: | Transcription factor TFIID is one of the general factors required for accurate and regulated initiation by RNA polymerase II. TFIID is a multimeric protein complex that plays a central role in mediating promoter responses to various activators and repressors. It requires core promoter-specific cofactors for productive transcription stimulation. TAF2 stabilizes TFIID binding to core promoter (By similarity). {ECO:0000250}. |
| Molecular Weight: | 128.0 kDa Including tag. |
| UniProt: | Q8C176 |

Application Details

| | |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions: | For Research Use only |

Handling

| | |
|---------|--------|
| Format: | Liquid |
|---------|--------|

Handling

| | |
|------------------|--|
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process