

Datasheet for ABIN3136379
PIAS2 Protein (AA 1-621) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	PIAS2
Protein Characteristics:	AA 1-621
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PIAS2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence: MADFEELRNM VSSFRVSELQ VLLGFAGR NK SGRKHDL LMR ALHLLKSGCS PAVQIKIREL
 YRRRYPR TLE GLCDLSTIKS SVFSLDGSSS PVEPDL PVAG IHSLPSTSIT PHSPSSPVGS
 VLLQDTKPTF EMQQPSPIP PVHPDVQLKN LPFYDVL DVL IKPTSLVQSS IQR FQEKFFI
 FALTPQVRE ICISRDFLP GRRDYTVQVQ LRLCLAETSC PQEDNYPNSL CIKVNGLKLP
 LPGYAPPPKN GIEQKRPGRP LNITSLVRLS SAVPNQISIS WASEIGKNYS MSVYLVRQLT
 SAML LQRLKM KGIRNPDHSR ALIKEKLTAD PDSEIAT TSL RVSLMCP LGK MRLTIPCRAV
 TCTHLQCFDA ALYLQMNEKK PTWICPVCDK KAAYESLILD GLFMEILNDC SDVDEIKFQE
 DGSWCMPMRPK KEAMKVTSQP CTKVESSSVF SKPCSVTVAS DASKKKIDVI DLTIESSSDE
 EEDPPAKRKC IFMSETQSSP TKGVL MYQPS SVRVPSVTSV DPAAIPPSLT DYSVPFHHTP
 VSSMSSDLPG LDFLSLIPVD PQYCPMFLD SLTSPLTASS TSVTTTSPHE SSTHVSSSSS
 RSETGVITSS GRNIPDIISL D

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Pias2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	PIAS2
Alternative Name:	Pias2 (PIAS2 Products)
Background:	Functions as an E3-type small ubiquitin-like modifier (SUMO) ligase, stabilizing the interaction between UBE2I and the substrate, and as a SUMO-tethering factor. Plays a crucial role as a transcriptional coregulation in various cellular pathways, including the STAT pathway, the p53 pathway and the steroid hormone signaling pathway. The effects of this transcriptional coregulation, transactivation or silencing may vary depending upon the biological context and PIAS2 isoform studied. However, it seems to be mostly involved in gene silencing. Binds to sumoylated ELK1 and enhances its transcriptional activity by preventing recruitment of HDAC2 by ELK1, thus reversing SUMO-mediated repression of ELK1 transactivation activity. Isoform PIASx-beta, but not isoform PIASx-alpha, promotes MDM2 sumoylation. Isoform PIASx-alpha promotes PARK7 sumoylation. Isoform PIASx-beta promotes NCOA2 sumoylation more efficiently than isoform PIASx-alpha (By similarity). Sumoylates PML at'Lys-65' and 'Lys-160' (By similarity). {ECO:0000250}.
Molecular Weight:	69.4 kDa Including tag.
UniProt:	Q8C5D8
Pathways:	JAK-STAT Signaling , Intracellular Steroid Hormone Receptor Signaling Pathway , Regulation of Intracellular Steroid Hormone Receptor Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process