# antibodies .- online.com





## BHLHE22 Protein (AA 1-355) (Strep Tag)



#### Overview

Quantity:	1 mg
Target:	BHLHE22
Protein Characteristics:	AA 1-355
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This BHLHE22 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

#### **Product Details**

#### Sequence:

MERGLHLGAA AASEDDLFLH KSLGTSAAKR LEAAFRSTPP GMDLSLAPPT RERPASSSSP LGCFEPADPE GAGLRLPPPG GGGGASGGGG GVSVPGLLVG SAGVGGEPSL SSLPAGAALC LKYGESAGRG SVAESSGGEQ SPDDDSDGLC ELVLRAGGPD PRASPRAGGG SAKVAEGCSN AHLHGGSGLP PGGPTSGGGS GGGGGGSSKK SKEQKALRLN INARERRRMH DLNDALDELR AVIPYAHSPS VRKLSKIATL LLAKNYILMQ AQALEEMRRL VAYLNQGQAI SAASLPSSAA AAAAAAALHP ALGAYEQAAG YPFSAGLPPA ASCPEKCALF NSVSSSLCKQ CTEKP

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure

correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

# **Product Details** Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) **Target Details** Target: BHLHE22 Alternative Name Bhlhe22 (BHLHE22 Products) Background: Class E basic helix-loop-helix protein 22 (bHLHe22) (Class B basic helix-loop-helix protein 5) (bHLHb5) (Protein BETA3), FUNCTION: Inhibits DNA binding of TCF3/E47 homodimers and TCF3 (E47)/NEUROD1 heterodimers and acts as a strong repressor of Neurod1 and Myodresponsive genes, probably by heterodimerization with class a basic helix-loop-helix factors. Despite the presence of an intact basic domain, does not bind to DNA (By similarity). In the brain, may function as an area-specific transcription factor that regulates the postmitotic acquisition of area identities and elucidate the genetic hierarchy between progenitors and postmitotic neurons driving neocortical arealization. May be required for the survival of a specific population of inhibitory neurons in the superficial laminae of the spinal cord dorsal horn that may regulate pruritis. Seems to play a crucial role in the retinogenesis, in the specification of amacrine and bipolar subtypes. Forms with PRDM8 a transcriptional repressor complex controlling genes involved in neural development and neuronal differentiation (PubMed:22284184). {ECO:0000250, ECO:0000269|PubMed:17092954, ECO:0000269|PubMed:18957218, ECO:0000269|PubMed:20346763, ECO:0000269|PubMed:22284184}. Molecular Weight: 35.2 kDa UniProt: Q8C6A8 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

modifications.

even the most difficult-to-express proteins, including those that require post-translational

protein production are removed, leaving only the protein production machinery and the

During lysate production, the cell wall and other cellular components that are not required for

### **Application Details**

	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
	please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)