antibodies .- online.com





RSAD2 Protein (AA 1-362) (His tag)





Go to	Prod	luct	page

_					
U	V	er	VI	е	W

Quantity:	1 mg
Target:	RSAD2
Protein Characteristics:	AA 1-362
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RSAD2 protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:

MGMLVPTALA ARLLSLFQQQ LGSLWSGLAI LFCWLRIALG WLDPGKEQPQ VRGEPEDTQE
TQEDGNSTQP TTPVSVNYHF TRQCNYKCGF CFHTAKTSFV LPLEEAKRGL LLLKQAGLEK
INFSGGEPFL QDRGEYLGKL VRFCKEELAL PSVSIVSNGS LIRERWFKDY GEYLDILAIS
CDSFDEQVNA LIGRGQGKKN HVENLQKLRR WCRDYKVAFK INSVINRFNV DEDMNEHIKA
LSPVRWKVFQ CLLIEGENSG EDALREAERF LISNEEFETF LERHKEVSCL VPESNQKMKD
SYLILDEYMR FLNCTGGRKD PSKSILDVGV EEAIKFSGFD EKMFLKRGGK YVWSKADLKL DW
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Rsad2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

special request, please contact us.

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target: RSAD2

Alternative Name: Rsad2 (RSAD2 Products)

Background: Interferon-inducible iron-sulfur (4FE-4S) cluster-binding antiviral protein which plays a major

role in the cell antiviral state induced by type I and type II interferon. Can inhibit a wide range of
viruses, including west Nile virus (WNV), dengue virus, sindbis virus, influenza A virus, sendai
virus and vesicular stomatitis virus (VSV). Displays antiviral activity against influenza A virus by
inhibiting the budding of the virus from the plasma membrane by disturbing the lipid rafts. This
is accomplished, at least in part, through binding and inhibition of the enzyme farnesyl
diphospate synthase (FPPS), which is essential for the biosynthesis of isoprenoid-derived lipids.
Promotes TLR7 and TLR9-dependent production of IFN-beta production in plasmacytoid
dendritic cells (pDCs) by facilitating Lys-63'-linked ubiquitination of IRAK1. Plays a role in CD4+
T-cells activation and differentiation. Facilitates T-cell receptor (TCR)-mediated GATA3
activation and optimal T-helper 2 (Th2) cytokine production by modulating NFKB1 and JUNB
activities. Can inhibit secretion of soluble proteins. {EC0:0000269 PubMed:17686841,
ECO:0000269 PubMed:19047684, ECO:0000269 PubMed:21435586,
ECO:0000269 PubMed:21880757}.

Molecular Weight:	42.5 kDa Including tag.
UniProt:	Q8CBB9
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process,
	Production of Molecular Mediator of Immune Response

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process