antibodies .- online.com





EPH Receptor B1 Protein (EPHB1) (AA 18-540) (His tag)



Overview

Quantity:	1 mg
Target:	EPH Receptor B1 (EPHB1)
Protein Characteristics:	AA 18-540
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EPH Receptor B1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:

MEETLMDTRT ATAELGWTAN PASGWEEVSG YDENLNTIRT YQVCNVFEPN QNNWLLTTFI
NRRGAHRIYT EMRFTVRDCS SLPNVPGSCK ETFNLYYYET DSVIATKKSA FWSEAPYLKV
DTIAADESFS QVDFGGRLMK VNTEVRSFGP LTRNGFYLAF QDYGACMSLL SVRVFFKKCP
SIVQNFAVFP ETMTGAESTS LVIARGTCIP NAEEVDVPIK LYCNGDGEWM VPIGRCTCKP
GYEPENSVAC KACPAGTFKA SQEAEGCSHC PSNSRSPSEA SPICTCRTGY YRADFDPPEV
ACTSVPSGPR NVISIVNETS IILEWHPPRE TGGRDDVTYN IICKKCRADR RSCSRCDDNV
EFVPRQLGLT ECRVSISSLW AHTPYTFDIQ AINGVSSKSP FPPQHVSVNI TTNQAAPSTV
PIMHQVSATM RSITLSWPQP EQPNGIILDY EIRYYEKEHN EFNSSMARSQ TNTARIDGLR
PGMVYVVQVR ARTVAGYGKF SGKMCFQTLT DDDYKSELRE QLP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Ephb1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	EPH Receptor B1 (EPHB1)
Alternative Name:	Ephb1 (EPHB1 Products)
Background:	Receptor tyrosine kinase which binds promiscuously transmembrane ephrin-B family ligands
	residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring
	cells. The signaling pathway downstream of the receptor is referred to as forward signaling
	while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling
	Cognate/functional ephrin ligands for this receptor include EFNB1, EFNB2 and EFNB3. During
	nervous system development, regulates retinal axon guidance redirecting ipsilaterally
	ventrotemporal retinal ganglion cells axons at the optic chiasm midline. This probably requires
	repulsive interaction with EFNB2. In the adult nervous system together with EFNB3, regulates
	chemotaxis, proliferation and polarity of the hippocampus neural progenitors. In addition to its
	role in axon guidance plays also an important redundant role with other ephrin-B receptors in
	development and maturation of dendritic spines and synapse formation. May also regulate
	angiogenesis. More generally, may play a role in targeted cell migration and adhesion. Upon
	activation by EFNB1 and probably other ephrin-B ligands activates the MAPK/ERK and the JNK
	signaling cascades to regulate cell migration and adhesion respectively.
	{ECO:0000269 PubMed:12971893, ECO:0000269 PubMed:14691139,
	ECO:0000269 PubMed:18057206, ECO:0000269 PubMed:18524895}.
Molecular Weight:	59.4 kDa Including tag.
UniProt:	Q8CBF3
Pathways:	RTK Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Restrictions:	

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)