antibodies .- online.com





TENC1 Protein (AA 1-1400) (Strep Tag)



Go to Product pag

Overview

Quantity:	1 mg
Target:	TENC1
Protein Characteristics:	AA 1-1400
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TENC1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MKSSGPVERL LRALGRRDSS RATSRPRKAE PHSFREKVFR KKTPVCAVCK VTIDGTGVSC RVCKVATHRK CEAKVTSSCQ ALPPAELRRS TAPVRRIEHL GSTKSLNHSK QRSTLPRSFS LDPLMERRWD LDLTYVTERI LAAAFPARPD EQRHRGHLRE LAHVLQSKHR DKYLLFNLSE KRHDLTRLNP KVQDFGWPEL HAPPLDKLCS ICKAMETWLS ADPQHVVVLY CKGSKGKLGV IVSAYMHYSK ISAGADQALA TLTMRKFCED KVATELQPSQ RRYVSYFSGL LSGSIRMNSS PLFLHYVFVP VLPAFEPNTG FQPFLKIYQS MQLVYTSGVY RIAGPGPQQL CISLEPALLL KGDVMVTCYH KGGQGTDRTL VFRVQFHTCT IHGSRLTFPK DQLDEAWADE RFPFQASVEF VFSSSPEKVK GNTPRNDPSV SVDYNTTEPA VRWDSYENFN QHHEDSVDGA LAHTRGPLDG SPYAQVQRVP RQTPPAPSPE LPPPPMLSVS SDSGHSSTLT TEHTAESPGR PPPTAAERQE LDRLLGGCGV ASAGRGAGRE TAILDDEEQP SVGGGLHLGM YSGHRPGLSR RCSCRQGFRE PCGVPNGSYY RPEGTLERRR PPYGGYEGHP QGYAEASVEK RRLCRSLSEG PYPYAPELGK PANGDFGYRP AGYREVVILE DPGVPALCSC PACEEKLALP TAALYGLRLE REAAEGWSSE

VGKPLLHPVR PGHPLPLLVP ACGHHHAPMP DYGCLKPPKV GEEGHEGCSY AVCSEGRYGH
SGYPALVTYG YGGAVPSYCP AYGRAPHSCG SPSEGRGYPS PGAHSPRAGS VSPGSPPYLQ
PRKLGYEISA EDGRDKYPLS GHLASTGPLA STESPEPSWR DGSSGHSTLP RSPRDPQCSA
SSELSGPSTP LHTSSPVQGK ESNRRQDTTR SPSLAPTQRL SPGEALPSVV QGVAEKTPEL
LTSSRPEQLD PSPFSQTSAP GSPNGWPQER SPGGHTNSAS PRSPVPTTLP GLRHAPWQGP
RGTSDSPDGS PLTPVPTQMP WLVGSPEPPQ SSPTPAFPLA TSYDANGPIQ PPLPEKRHLP
GSGQQPSPPA RSTNQHVTFA SPLPDVTQPP EHPLQENQSN VKFVQDTSKF WYKPHLSRDQ
AIALLKDKDP GAFLIRDSHS FQGAYGLALK VATPPPSAQP WKGDPSEQLV RHFLIETGPK
GVKIKGCPTE PYFGSLSALV SQHSISPISL PCCLRIPSKD PLEETPEAPV PTNMSTAADL
LRQGAACSVL YLTSVETESL TGPQAVAKAS SAALSCSPVP VPAIVHFKVS AQGITLTDNQ
RKLFFRRHYP VNSITFSSTD PQDRRWTNPD GATSKIFGFV AKKPGSPWEN VCHLFAELDP
DQPASAIVTF ITKVLLGQRK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional

components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade:

Crystallography grade

Target Details

Target:

TENC1

Alternative Name:

Tns2 (TENC1 Products)

Background:

Tensin-2 (EC 3.1.3.48) (C1 domain-containing phosphatase and tensin homolog) (C1-TEN) (Tensin-like C1 domain-containing phosphatase),FUNCTION: Tyrosine-protein phosphatase which regulates cell motility, proliferation and muscle-response to insulin (By similarity). Phosphatase activity is mediated by binding to phosphatidylinositol-3,4,5-triphosphate (PtdIns(3,4,5)P3) via the SH2 domain (By similarity). In muscles and under catabolic conditions, dephosphorylates IRS1 leading to its degradation and muscle atrophy. Negatively regulates PI3K-AKT pathway activation (By similarity). Dephosphorylates nephrin NPHS1 in podocytes which affects mTORC1 complex activity (By similarity). Under normal glucose conditions, NPHS1 outcompetes IRS1 for binding to phosphatidylinositol 3-kinase (PI3K) which balances mTORC1 activity but high glucose conditions lead to up-regulation of TNS2, increased NPHS1

dephosphorylation and activation of mTORC1, contributing to podocyte hypertrophy and proteinuria (By similarity). Required for correct podocyte morphology, podocyte-glomerular basement membrane interaction and integrity of the glomerular filtration barrier (PubMed:27246398, PubMed:31723089, PubMed:32390516). Enhances RHOA activation in the presence of DLC1 (By similarity). Plays a role in promoting DLC1-dependent remodeling of the extracellular matrix (By similarity). {ECO:0000250|UniProtKB:Q63HR2, ECO:0000269|PubMed:27246398, ECO:0000269|PubMed:31723089, ECO:0000269|PubMed:32390516}.

Molecular Weight:

152.0 kDa

UniProt:

O8CGB6

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment:

ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)