antibodies .- online.com





RAPGEF2 Protein (AA 1-1496) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	RAPGEF2
Protein Characteristics:	AA 1-1496
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RAPGEF2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MKPLAAPANH GVLGQQEKQS LPADFTKLHL TDSLHPQVTH VSSSHSGCSI TSDSGSSSLS
DIYQATESEA GDMDLSGLPE TAVDSEDDDD EEDIERASDP LMSRDIVRDC LEKDPIDRTD
DDIEQLLEFM HQLPAFANMT MSVRRELCAV MVFAVVERAG TIVLNDGEEL DSWSVILNGS
VEVTYPDGKA EILCMGNSFG VSPTMDKEYM KGVMRTKVDD CQFVCIAQQD YCRILNQVEK
NMQKVEEEGE IVMVKEHREL DRTGTRKGHI VIKGTSERLT MHLVEEHSVV DPTFIEDFLL
TYRTFLSSPM EVGKKLLEWF NDPSLRDKVT RVVLLWVNNH FNDFEGDPAM TRFLEEFENN
LEREKMGGHL RLLNIACAAK AKRRLMTLTK PSREAPLPFI LLGGSEKGFG IFVDSVDSCS
KATEAGLKRG DQILEVNGQN FENIQLSKAM EILRNNTHLS ITVKTNLFVF KELLTRLSEE
KRNGAPHLPK IGDIKKASRY SIPDLAVDVE QVIGLEKVNK KSKANTVGGR NKLKKILDKT
RISILPQKPY NDIGIGQSQD DSIVGLRQTK HIPAALPVSG TLSSSNPDLL QSHHRILDFS
TTPDLPDQVL RVFKADQQSR YIMISKDTTA KEVVIQAIRE FAVTATPEQY SLCEVSVTPE
GVIKQRRLPD QLSKLADRIQ LSGRYYLKNN METETLCSDE DAQELLRESQ ISLLQLSTVE

VATQLSMRNF ELFRNIEPTE YIDDLFKLKS KTSCANLKKF EEVINQETFW VASEILRETN OLKRMKIIKH FIKIALHCRE CKNFNSMFAI ISGLNLAPVA RLRTTWEKLP NKYEKLFODL QDLFDPSRNM AKYRNVLSGQ NLQPPVIPLF PVIKKDLTFL HEGNDSKVDG LVNFEKLRMI AKEIRHVGRM ASVNMDPALM FRTRKKKWRS LGSLSQGSAN ATVLDVAQTG GHKKRVRRSS FLNAKKLYED AQMARKVKQY LSNLELEMDE ESLQTLSLQC EPATSTLPKN PGDKKPVKSE TSPVAPRAGP QQKVQPQQPL AQPQPPHKVS QGLQVPAVSL YPSRKKVPVK DLPPFGINSP QALKKILSLS EEGSLERHRK QAEDTISNAS SQLSSPPTSP QSSPRKGYAL ALSGTVDNFS DSGHSEISSR SSIVSNSSFD SVPVSLHDER RORHSVSIVE SNLGVGRMER RTLMEPDQYS LGSYAPVSES RGLYAAATVI SSPSTEELSH DQGDRASLDA ADSGRGSWTS CSSGSHDNIQ TIQHQRSWET LPFGHTHFDY SGDAASIWAS GGHMDQMMFS DHSTKYNRQN QSRESLEQAQ SRASWASSTG YWGEDSEGDT GTIKRRGGKD VSAEAESSSM VPVTTEEAKP VPMPAHIAVT PSTTKGLIAR KEGRYREPPP TPPGYVGIPI ADFPEGPCHP ARKPPDYNVA LQRSRMVARP TEAPAPGQTP PAAAASRPGS KPQWHKPSDA DPRLAPFQPQ GFAGAEEDED EQVSAV Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- · Mouse Rapgef2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Product Details

Product Details	
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	RAPGEF2
Alternative Name:	Rapgef2 (RAPGEF2 Products)
Background:	Functions as a guanine nucleotide exchange factor (GEF), which activates Rap and Ras family
	of small GTPases by exchanging bound GDP for free GTP in a cAMP-dependent manner.
	Serves as a link between cell surface receptors and Rap/Ras GTPases in intracellular signaling
	cascades. Acts also as an effector for Rap1 by direct association with Rap1-GTP thereby
	leading to the amplification of Rap1-mediated signaling. Shows weak activity on HRAS. It is
	controversial whether RAPGEF2 binds cAMP and cGMP or not. Its binding to ligand-activated
	beta-1 adrenergic receptor ADRB1 leads to the Ras activation through the G(s)-alpha signaling
	pathway. Involved in the cAMP-induced Ras and Erk1/2 signaling pathway that leads to
	sustained inhibition of long term melanogenesis by reducing dendrite extension and melanin
	synthesis. Provides also inhibitory signals for cell proliferation of melanoma cells and promotes
	their apoptosis in a cAMP-independent nanner. Regulates cAMP-induced neuritogenesis by
	mediating the Rap1/B-Raf/ERK signaling through a pathway that is independent on both PKA
	and RAPGEF3/RAPGEF4. Involved in neuron migration and in the formation of the major
	forebrain fiber connections forming the corpus callosum, the anterior commissure and the
	hippocampal commissure during brain development. Involved in neuronal growth factor (NGF)-

induced sustained activation of Rap1 at late endosomes and in brain-derived neurotrophic

factor (BDNF)-induced axon outgrowth of hippocampal neurons. Plays a role in the regulation

of embryonic blood vessel formation and in the establishment of basal junction integrity and
endothelial barrier function. May be involved in the regulation of the vascular endothelial growth
factor receptor KDR and cadherin CDH5 expression at allantois endothelial cell-cell junctions.
{ECO:0000269 PubMed:16272156, ECO:0000269 PubMed:17826737,
ECO:0000269 PubMed:19453629, ECO:0000269 PubMed:19635461,
ECO:0000269 PubMed:21864586, ECO:0000269 PubMed:23800469}.
167.4 kDa Including tag.
Q8CHG7
Neurotrophin Signaling Pathway
In addition to the applications listed above we expect the protein to work for functional studies
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
though.
Protein has not been tested for activity yet. In cases in which it is highly likely that the
recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
options with you in detail to assure that you receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process