antibodies .- online.com





KAT5 Protein (AA 1-513) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	KAT5
Protein Characteristics:	AA 1-513
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KAT5 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

MAEVGEIIEG CRLPVLRRNQ DNEDEWPLAE ILSVKDISGR KLFYVHYIDF NKRLDEWVTH
ERLDLKKIQF PKKEAKTPTK NGLPGSRPGS PEREVPASAQ ASGKTLPIPV QITLRFNLPK
EREAIPGGEP DQPLSSSSCL QPNHRSTKRK VEVVSPATPV PSETAPASVF PQNGSARRAV
AAQPGRKRKS NCLGTDEDSQ DSSDGIPSAP RMTGSLVSDR SHDDIVTRMK NIECIELGRH
RLKPWYFSPY PQELTTLPVL YLCEFCLKYG RSLKCLQRHL TKCDLRHPPG NEIYRKGTIS
FFEIDGRKNK SYSQNLCLLA KCFLDHKTLY YDTDPFLFYV MTEYDCKGFH IVGYFSKEKE
STEDYNVACI LTLPPYQRRG YGKLLIEFSY ELSKVEGKTG TPEKPLSDLG LLSYRSYWSQ
TILEILMGLK SESGERPQIT INEISEITSI KKEDVISTLQ YLNLINYYKG QYILTLSEDI VDGHERAMLK
RLLRIDSKCL HFTPKDWSKR GKW

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Kat5 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	KAT5
Alternative Name:	Kat5 (KAT5 Products)
Background:	Catalytic subunit of the NuA4 histone acetyltransferase complex which is involved in
	transcriptional activation of select genes principally by acetylation of nucleosomal histones H4
	and H2A. This modification may both alter nucleosome - DNA interactions and promote
	interaction of the modified histones with other proteins which positively regulate transcription.
	This complex may be required for the activation of transcriptional programs associated with
	oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth
	arrest and replicative senescence, apoptosis, and DNA repair. The NuA4 complex ATPase and
	helicase activities seem to be, at least in part, contributed by the association of RUVBL1 and
	RUVBL2 with EP400. NuA4 may also play a direct role in DNA repair when recruited to sites of
	DNA damage. Directly acetylates and activates ATM. Relieves NR1D2-mediated inhibition of
	APOC3 expression by acetylating NR1D2. Component of a SWR1-like complex that specifically
	mediates the removal of histone H2A.Z/H2AFZ from the nucleosome. Promotes FOXP3
	acetylation and positively regulates its transcriptional repressor activity.
	{ECO:0000250 UniProtKB:Q92993}.
Molecular Weight:	59.6 kDa Including tag.
UniProt:	Q8CHK4
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process