antibodies .- online.com





DIS3L2 Protein (AA 1-870) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	DIS3L2
Protein Characteristics:	AA 1-870
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DIS3L2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MNHPDYKLNL RSPGTPRGVS SVVGPSAVGA SPGDKKSKNK SMRGKKKSIF ETYMSKEDVS
EGLKRGTLIQ GVLRINPKKF HEAFIPSPDG DRDIFIDGVV ARNRALNGDL VVVKLLPEDQ
WKAVKPESND KEIEATYEAD IPEEGCGHHP LQQSRKGWSG PDVIIEAQFD DSDSEDRHGN
TSGLVDGVKK LSISTPDRGK EDSSTPVMKD ENTPIPQDTR GLSEKSLQKS AKVVYILEKK
HSRAATGILK LLADKNSDLF KKYALFSPSD HRVPRIYVPL KDCPQDFMTR PKDFANTLFI
CRIIDWKEDC NFALGQLAKS LGQAGEIEPE TEGILTEYGV DFSDFSSEVL ECLPQSLPWT
IPPDEVGKRR DLRKDCIFTI DPSTARDLDD ALACRRLTDG TFEVGVHIAD VSYFVPEGSS
LDKVAAERAT SVYLVQKVVP MLPRLLCEEL CSLNPMTDKL TFSVIWKLTP EGKILEEWFG
RTIIRSCTKL SYDHAQSMIE NPTEKIPEEE LPPISPEHSV EEVHQAVLNL HSIAKQLRRQ
RFVDGALRLD QLKLAFTLDH ETGLPQGCHI YEYRDSNKLV EEFMLLANMA VAHKIFRTFP
EQALLRRHPP PQTKMLSDLV EFCDQMGLPM DVSSAGALNK SLTKTFGDDK YSLARKEVLT
NMYSRPMQMA LYFCSGMLQD QEQFRHYALN VPLYTHFTSP IRRFADVIVH RLLAAALGYS

EQPDVEPDTL QKQADHCNDR RMASKRVQEL SIGLFFAVLV KESGPLESEA MVMGVLNQAF DVLVLRFGVQ KRIYCNALAL RSYSFQKVGK KPELTLVWEP DDLEEEPTQQ VITIFSLVDV VLQAEATALK YSAILKRPGL EKASDEEPED

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Dis3l2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

specific reference buffer.

Product Details Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details **DIS3L2** Target: Alternative Name: Dis3l2 (DIS3L2 Products) Background: 3'-5'-exoribonuclease that specifically recognizes RNAs polyuridylated at their 3' end and mediates their degradation. Component of an exosome-independent RNA degradation pathway that mediates degradation of both mRNAs and miRNAs that have been polyuridylated by a terminal uridylyltransferase, such as ZCCHC11/TUT4. Mediates degradation of cytoplasmic mRNAs that have been deadenylated and subsequently uridylated at their 3'. Mediates degradation of uridylated pre-let-7 miRNAs, contributing to the maintenance of embryonic stem (ES) cells. Essential for correct mitosis, and negatively regulates cell proliferation. {ECO:0000255|HAMAP-Rule:MF_03045, ECO:0000269|PubMed:23594738, ECO:0000269|PubMed:25119025}. Molecular Weight: 98.7 kDa Including tag. UniProt: Q8CI75 Stem Cell Maintenance Pathways: **Application Details** Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process