



[Go to Product page](#)

Datasheet for ABIN3136522
IPO13 Protein (AA 1-963) (Strep Tag)

Overview

Quantity:	1 mg
Target:	IPO13
Protein Characteristics:	AA 1-963
Origin:	Mouse
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IPO13 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence: MERREEQLGA AGAGAAPALD FTVENVEKAL HQLYYDPNID NKNLAQKWLW QAQVSPQAWH
FSWQLLPDK VPEIQYFGAS ALHIKISRYW SDIPTDQYES LKAQLFTQIT RFASGSKIVL
TRLCVALASL ALSMMPDAWP CAVADMVRLF QAEDSPVDSQ GRCLALLELL TVLPEEFQTS
RLPQYRKGLV RTSLAVECGT VFPLLEQLLQ QPSSPSCVRQ KVLKCFSSWV QLEVPLQDCE
ALIQAAFAAL QDSELDSSV EAIVNAISQP DAQRYVNTLL KLIPLVLGLQ EQLRQAVQNG
DMETSHGICR IAAVALGENHS RALLDQVEHW QSFLALVNMI MFCTGIPGHY PVNETTSSLT
LTFWYTLQDD ILSFEAEKQA VYQQVYRPVY FQLVDVLLHK AQFPSDEEYG FWSSDEKEQF
RIYRVDISDT LMYVYEMLGA ELLSNLYDKL GRLLTSSEEP YSWQHTEALL YGFQSI AETI
DVNYSDVVPGLIGLIPRISI SNVQLADTVM FTIGALSEWL ADHPVMINSV LPLVLHALGN
PELSVSSVST LKKICRECKY DLPPYAANIV AVSQDVLKMQ IHKTSQCMWL MQALGFLLSA
LQVEEILKNL HSLISPIYIQ LEKLAEEIPN PSNKLAIVHI LGLLSNLFTT LDVSHHEDDH
EGPELRKLPV PQGPNPVVVV LQQVFQLIQ VLSKWLNDQ VVEAVCAIFE KSVKTLDDF

APMVPQLCEM LGRMYSTVPQ ASALDLTRQL VHIFAHEPAH FPIEALFLL VTSVTLSLFQ
QGPRDHPDIV DSFMQLLAQA LKRKPDFLFC ERLDVKAVFQ CAVLALKFPE APTVKASCGF
FTELLPRCGE IESVGKVVQE DGRMLLIAVL EAIGGQASRS LMDCFADILF ALNKHCFSLL
SMWIKEALQP PGFPSARLSP EQKDTFSQQI LRERVNKRRV KEMVKEFTLL CRGLHGTDYT ADY

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

Product Details

- We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	IPO13
Alternative Name:	Ipo13 (IPO13 Products)
Background:	<p>Importin-13 (Imp13),FUNCTION: Functions in nuclear protein import as nuclear transport receptor. Serves as receptor for nuclear localization signals (NLS) in cargo substrates. Is thought to mediate docking of the importin/substrate complex to the nuclear pore complex (NPC) through binding to nucleoporin and the complex is subsequently translocated through the pore by an energy requiring, Ran-dependent mechanism. At the nucleoplasmic side of the NPC, Ran binds to the importin, the importin/substrate complex dissociates and importin is re-exported from the nucleus to the cytoplasm where GTP hydrolysis releases Ran. The directionality of nuclear import is thought to be conferred by an asymmetric distribution of the GTP- and GDP-bound forms of Ran between the cytoplasm and nucleus (By similarity). Mediates the nuclear import of UBC9, the RBM8A/MAGOH complex, PAX6 and probably other members of the paired homeobox family. Also mediates nuclear export of eIF-1A, and the cytoplasmic release of eIF-1A is triggered by the loading of import substrates onto IPO13 (By similarity). {ECO:0000250}.</p>
Molecular Weight:	108.2 kDa
UniProt:	Q8K0C1
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway , Nuclear Hormone Receptor Binding ,

Target Details

Protein targeting to Nucleus

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)