

Datasheet for ABIN3136574

AMOTL2 Protein (AA 1-772) (His tag)[Go to Product page](#)**1** Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | AMOTL2 |
| Protein Characteristics: | AA 1-772 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This AMOTL2 protein is labelled with His tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

Product Details

| | |
|-----------|--|
| Sequence: | MRTLEDSSGT VLHRLIQEQL RYGNLTETRT LLAIQQQALR GGAGAGGTGS PQASLEIGAP EDSQVLQQAT RQEPQGQEHQ GGETHLAENR LYRLCPQPSK GEELPTYEEA KAHSQYYAAQ QAGSRPHVGD RDPRGGVSGG GRRQDEALRE LRHGHVRSLS ERLQLSLER NGARVPSHMS SSHSFPQLAR SQQGPQPRGP PAEGPEPRGP PPQYPHAVMA QETAAVTDPR YRPRSSPHFQ HAEVRILQAQ VPPVFLQQQQ YQYLPQPQEH SPPLHPAALG HGPPSSFGPP AVEGPPSAQA TLGSAHLAQM ETVLRENARL QRDNERLQRE LESTSEKAGR IEKLENEIQR LSEAHESLMR TSSKREALEK TMRNKMDGEM RRLQDFNRDL RERLESANRH LASKTQEAQA GSQDMVAKLL AQSIEQQQEQ EKLEREMALL RGAIEDQRRH AELLEQALGN AQSRAARAE ELRKKQAYVE KVERLQQALG QLQAACEKRE QLELRLRTRL EQELKALRAQ QRQTGTLAGG GSGHGGSAEL SALRLSEQLR EKEEQILALE ADMTKWEQKY LEERAMRQFA MDAAATAAAQ RDTTLIRHSP QPSPSSSFNE GLLPGNHRHQ EMESRLKVLH AQILEKDAVI KVLQQRSRKD PGKATQGTLR PAKSVPSIFA AAVGTQGWQG LVSSERQTDA RPAGDRVPAE EPPATAPLPA HTKHGSRDGS |
|-----------|--|

TQTDGPADNT SACLASEPDG LLGCNSSQRT PSLDSIAATR VQDLSDMVEI LI

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Amotl2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Product Details

Grade: Crystallography grade

Target Details

Target: AMOTL2

Alternative Name: Amotl2 ([AMOTL2 Products](#))

Background: Regulates the translocation of phosphorylated SRC to peripheral cell-matrix adhesion sites. Required for proper architecture of actin filaments. Inhibits the Wnt/beta-catenin signaling pathway, probably by recruiting CTNNB1 to recycling endosomes and hence preventing its translocation to the nucleus. Participates in angiogenesis. May play a role in the polarity, proliferation and migration of endothelial cells. Selectively promotes FGF-induced MAPK activation through SRC (By similarity). {ECO:0000250}.

Molecular Weight: 86.2 kDa Including tag.

UniProt: [Q8K371](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process