antibodies .- online.com





DYNC1LI1 Protein (AA 1-523) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	DYNC1LI1
Protein Characteristics:	AA 1-523
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DYNC1LI1 protein is labelled with His tag.
Application:	ELISA, Crystallization (Crys), SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAAVGRVGSF GSSPPGLAST YASGPLANEL ASGSGGPAAG DDEDGQNLWS CILSEVSTRS RSKLPTGKNV LLLGEDGAGK TSLIRRIQGI EEYKKGRGLE YLYLNVHDED RDDQTRCNVW ILDGDLYHKG LLKFSLDALS LRDTLVMLVV DMSKPWTALD SLQKWASVVR EHVDKLKIPP EEMKEMEQKL IRDFQEYVEP GEDFPASPQR RTTGAQEDRG DSVVLPLGAD TLTHNLGLPV LVVCTKCDAI SVLEKEHDYR DEHFDFIQSH IRKFCLQYGA ALIYTSVKEN KNIDLVYKYI VQKLYGFPYK IPAVVVEKDA VFIPAGWDND KKIGILHENF QTLKVEDNFE DIITKPPVRK FVHEKEIMAE DDQVFLMKLQ SLLAKQPPTA AGRPVDASPR VPGGSPRTPN RSVSSNVASV SPIPAGSKKI DPNMKAGATS EGVLANFFNS LLSKKTGSPG GPGVGGSPGG GAAGASPSLP PSAKKSGQKP VLSDVHAELD RITRKPASVS PTTPTSPTEG EAS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Dync1li1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Acts as one of several non-catalytic accessory components of the cytopla complex that are thought to be involved in linking dynein to cargos and to regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the int motility of vesicles and organelles along microtubules. May play a role in I membranous organelles or chromosomes. Probably involved in the microtransport of pericentrin. Is required for progress through the spindle asserphosphorylated form appears to be involved in the selective removal of Market at RUPLE forms bire to charge (Registration). (FOR 2000 1975)	adapter proteins that tracellular retrograde binding dynein to otubule-dependent embly checkpoint. The
complex that are thought to be involved in linking dynein to cargos and to regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the int motility of vesicles and organelles along microtubules. May play a role in linembranous organelles or chromosomes. Probably involved in the microtransport of pericentrin. Is required for progress through the spindle asserphosphorylated form appears to be involved in the selective removal of M	adapter proteins that tracellular retrograde binding dynein to otubule-dependent mbly checkpoint. The
but not BUB1B from kinetochores (By similarity). {ECO:0000250}.	
Molecular Weight: 57.6 kDa Including tag.	
UniProt: Q8R1Q8	
Application Details	
Application Notes: In addition to the applications listed above we expect the protein to work to as well. As the protein has not been tested for functional studies yet we can though.	
Comment: Protein has not been tested for activity yet. In cases in which it is highly like recombinant protein with the default tag will be insoluble our protein lab molecular weight tag (e.g. GST-tag) instead to increase solubility. We will options with you in detail to assure that you receive your protein of interest	may suggest a higher discuss all possible
Restrictions: For Research Use only	
Handling	
Format: Liquid	
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of	of the manufacturer.
Handling Advice: Avoid repeated freeze-thaw cycles.	
Storage: -80 °C	
Storage Comment: Store at -80°C.	
Expiry Date: Unlimited (if stored properly)	



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process