antibodies .- online.com





Sphingomyelin Synthase 1 Protein (SGMS1) (AA 1-419) (rho-1D4 tag)



Go to Product page

1 Image

Overview

Quantity:	1 mg
Target:	Sphingomyelin Synthase 1 (SGMS1)
Protein Characteristics:	AA 1-419
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Sphingomyelin Synthase 1 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MLSARTMKEV VYWSPKKVAD WLLENAMPEY CEPLEHFTGQ DLINLTQEDF KKPPLYRVSS DNGQRLLDMI ETLKMEHHME AHKNGHANGH LSIGVDIPNP DGSFSIKTKP NGMPNGFRKE MIKIPMPEPE RSQYPMEWGK TFLAFLYALS CFVLTTVMIS VVHERVPPKE VQPPLPDTFF DHFNRVQWAF SICEINGMIL VGLWLFQWLL LKYKSIISRR FFCIVGTLYL YRCITMYVTT LPVPGMHFNC SPKLFGDWEA QVRRIMKLIA GGGLSITGSH NMCGDYLYSG HTVMLTLTYL FIKEYSPRRL WWYHWICWLL SVVGIFCILL AHDHYTVDVV VAYYITTRLF WWYHTMANQQ VLKEASQMNL LARVWWYRPF QYFEKNVQGI VPRSYHWPFP WPVVHLSRQV KYSRLVNDT Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Sgms1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

Target Details

Target:	Sphingomyelin Synthase 1 (SGMS1)
Alternative Name:	Sgms1 (SGMS1 Products)
Background:	Sphingomyelin synthases synthesize the sphingolipid, sphingomyelin, through transfer of the
	phosphatidyl head group, phosphatidylcholine, on to the primary hydroxyl of ceramide. The
	reaction is bidirectional depending on the respective levels of the sphingolipid and ceramide.
	Golgi apparatus SMS1 directly and specifically recognizes the choline head group on the
	substrate, requiring two fatty chains on the choline-P donor molecule in order to be recognized
	efficiently as a substrate. Major form in macrophages. Required for cell growth in certain cell
	types (By similarity). Suppresses BAX-mediated apoptosis and also prevents cell death in
	response to stimuli such as hydrogen peroxide, osmotic stress, elevated temperature and
	exogenously supplied sphingolipids. May protect against cell death by reversing the stress-
	inducible increase in levels of proapoptotic ceramide. (ECO:0000250,
	ECO:0000269 PubMed:16879426, ECO:0000269 PubMed:22580896}.
Molecular Weight:	50.5 kDa Including tag.
UniProt:	Q8VCQ6
Pathways:	Cellular Response to Molecule of Bacterial Origin
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
	For Research Use only
Restrictions:	
Restrictions: Handling	
	Liquid
Handling	Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process