



[Go to Product page](#)

Datasheet for ABIN3136788  
**FARP2 Protein (AA 1-1065) (Strep Tag)**

### Overview

Quantity:	1 mg
Target:	FARP2
Protein Characteristics:	AA 1-1065
Origin:	Mouse
Source:	Tobacco ( <i>Nicotiana tabacum</i> )
Protein Type:	Recombinant
Purification tag / Conjugate:	This FARP2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Sequence: MGEIEGTYRA LPTSGTRLGG QTAIGVSTLE PEQSLSPRMQ EKHMIRIVKL LDSTVELFDI  
EPKCDGQVLL TQVWKHLNLI ECDYFGLEFK NVQSYWIWLE PMKPIIRQVR KPKNVLRRLA  
VKFFPPDPGQ LQEEYTRYLF ALQLKRDILLE ERLTCTANTA ALLISHLLQS EIGDYDELTD  
REHLKANEYL PNQKSLEKI LDFHQRHTGQ TPAESDFQVL EIARKLEMYG IRFHMASDRE  
GTKINLAVSH MGVLVFQGT KINTFNWSKV RKLSFKRKRKRF LIKLHPEVHG PYQDTLEFL  
GSRDECKNFW KICVEYHTFF RLSAQPKPKA KAVFFSRGSS FRYSGRTQKQ LVDYVKDGGM  
KRIPYERRHS KTRTSLHALT VDLPKQSVSF TDGLRTSASL SSANVSFYPP PSSSLSPGGL  
PNLKDSSSSL VDPQAPVIKS TAAERSSGPS SSDGPSTQSA HLPGPPVLRP GPGFSMDSPQ  
PSPSSLKSHL SLCPELQAAL STAEQGASPV LSPVLGAGT ARMDNQEEQK HKHMPEDAY  
FIAKEILATE RTYLKDLEVI TVWFRSVLIK EEAMPAALMA LLFSNIDPVY EFHRGFLHEV  
EQRLALWEGP SSAHLKGDHQ RIGDILLRNM RQLKEFTSYF QRHDEVLTTEL EKATKHCKKL  
EAVYKEFELQ KVCYLPLNTF LLKPVQRLVH YRLLLSRLCA HYSFGHRDYA DCHEALKAIT

EVTTTELQQLS TRLENLQKLT ELQRDLVGVE NLIAPGREFI REGCLHKLTK KGLQQRMFLL  
FSDMLLYTSK SVTGASHFRI RGFLPLRGML VEESENEWSV PHCFTIYAAQ KTIVVAASTR  
LEKEKWMQDL NAAIQAAKI GDSPPVLLGG PVYTRTPRSS DEVSLEESED GRGNRGSLEG  
NSQHRANTTM HVCWYRNTSV SRADHSAAVE NQLSGYLLRK FKNSNGWQKL WVVFTNFCLF  
FYKTHQDDYP LASLPLLGYS VSLPREADSI HKDYVFKLQF KSHVYFFRAE SKYTFFERWMD  
VIKRASSSPG RPPSFTQDCS HHSPGLEAEI REKEACPSPC LDKNL

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.

## Product Details

---

- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

---

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>
Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

---

## Target Details

---

Target:	FARP2
Alternative Name:	Farp2 ( <a href="#">FARP2 Products</a> )
Background:	FERM, ARHGEF and pleckstrin domain-containing protein 2 (FERM domain including RhoGEF) (FIR) (FERM, RhoGEF and pleckstrin domain-containing protein 2),FUNCTION: Functions as a guanine nucleotide exchange factor that activates RAC1. May have relatively low activity (PubMed:23375260, PubMed:20702777). Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton. Plays a role in TNFSF11-mediated osteoclast differentiation, especially in podosome rearrangement and reorganization of the actin cytoskeleton. Regulates the activation of ITGB3, integrin signaling and cell adhesion. {ECO:0000269 PubMed:12351724, ECO:0000269 PubMed:16286926, ECO:0000269 PubMed:20702777, ECO:0000269 PubMed:23375260}.
Molecular Weight:	121.3 kDa
UniProt:	<a href="#">Q91VS8</a>

---

## Application Details

---

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

---

## Application Details

---

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)