

Datasheet for ABIN3136807

DTNBP1 Protein (AA 1-352) (His tag)[Go to Product page](#)**1** Image

Overview

Quantity:	1 mg
Target:	DTNBP1
Protein Characteristics:	AA 1-352
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DTNBP1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:	<p>MLETLRERLL SVQQDFTSGL KTLSDKSREA KVKGKPRTAP RLPKYSAGLE LLSRYEDAWA ALHRRAKECA DAGELVDSEV VMLSAHWEEK RTSLNELQGQ LQQLPALLQD LESLMASLAH LETSFEEVEN HLLHLEDLCG QCELERHKQA QAQHLESYKK SKRKELEAFK AELDTEHTQK ALEMEHTQQL KLKERQKFFE EAFQQDMEQY LSTGYLQIAE RREPMGSMSS MEVNVDVLEQ MDLMDISDQE ALDVFLNSGG EDNIVMSPGV EMESNPNQNE MSLQIPSPSE SASQPPASPS ACTDLDTADA PLIQSDEEEV QVDTALVTLH TDRKSTPGVS DDSDQCDSQ DI</p> <p>Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.</p>
Characteristics:	<ul style="list-style-type: none">• Made in Germany - from design to production - by highly experienced protein experts.• Mouse Dtnbp1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.• State-of-the-art algorithm used for plasmid design (Gene synthesis).

Product Details

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	DTNBP1
Alternative Name:	Dtnbp1 (DTNBP1 Products)
Background:	Component of the BLOC-1 complex, a complex that is required for normal biogenesis of

Target Details

lysosome-related organelles (LRO), such as platelet dense granules and melanosomes. In concert with the AP-3 complex, the BLOC-1 complex is required to target membrane protein cargos into vesicles assembled at cell bodies for delivery into neurites and nerve terminals. The BLOC-1 complex, in association with SNARE proteins, is also proposed to be involved in neurite extension. Associates with the BLOC-2 complex to facilitate the transport of TYRP1 independent of AP-3 function. Plays a role in synaptic vesicle trafficking and in neurotransmitter release. Plays a role in the regulation of cell surface exposure of DRD2. May play a role in actin cytoskeleton reorganization and neurite outgrowth. May modulate MAPK8 phosphorylation. Appears to promote neuronal transmission and viability through regulating the expression of SNAP25 and SYN1, modulating PI3-kinase-Akt signaling and influencing glutamatergic release. Regulates the expression of SYN1 through binding to its promoter. Modulates prefrontal cortical activity via the dopamine/D2 pathway. {ECO:0000269|PubMed:12923531, ECO:0000269|PubMed:15345706, ECO:0000269|PubMed:16448387, ECO:0000269|PubMed:16760431, ECO:0000269|PubMed:16837549, ECO:0000269|PubMed:18504299, ECO:0000269|PubMed:18555792, ECO:0000269|PubMed:18984010, ECO:0000269|PubMed:19094965, ECO:0000269|PubMed:19428785, ECO:0000269|PubMed:19546860, ECO:0000269|PubMed:19887632, ECO:0000269|PubMed:20045719, ECO:0000269|PubMed:20921223, ECO:0000269|PubMed:20956979, ECO:0000269|PubMed:21998198}.

Molecular Weight:	40.6 kDa Including tag.
UniProt:	Q91WZ8
Pathways:	Synaptic Membrane , Regulation of G-Protein Coupled Receptor Protein Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process