

Datasheet for ABIN3136868
EED Protein (AA 2-441) (His tag)[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	EED
Protein Characteristics:	AA 2-441
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EED protein is labelled with His tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:	SEREVSTAPA GTDMPAAKKQ KLSSDENSNP DLSGDENDDA VSIESGTNTE RPDTPTNTPN APGRKSWGKG KWKSKKCKYS FKCVNSLKED HNQPLFGVQF NWHSKEGDPL VFATVGSNRV TLYECHSQGE IRLQSYVDA DADENFYTCA WTYDSNTSHP LLAVAGSRGI IRIINPITMQ CIKHVYVGHG AINELKFHPR DPNLLLSVSK DHALRLWNIQ TDTLVAIFGG VEGHRDEVLS ADYDLLGEKI MSCGMDHSLK LWRINSKRMM NAIKESYDYN PNKTNRPFIS QKIHFPDFST RDIHRNYVDC VRWLGLILS KSCENAIVCW KPGKMEDDID KIKPSESNTV ILGRFDYSQC DIWYMRFSMD FWQKMLALGN QVGKLYVWDL EVEDPHKAKC TTLTHHKCGA AIRQTSFSRD SSILIAVCDD ASIWRWDRLR
-----------	--

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:	<ul style="list-style-type: none">Made in Germany - from design to production - by highly experienced protein experts.Mouse Eed Protein (raised in Insect Cells) purified by multi-step, protein-specific process to
------------------	---

Product Details

ensure crystallization grade.

- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	EED
Alternative Name:	Eed (EED Products)

Target Details

Background:	<p>Polycomb group (PcG) protein. Component of the PRC2/EED-EZH2 complex, which methylates 'Lys-9' and 'Lys-27' of histone H3, leading to transcriptional repression of the affected target gene. Also recognizes 'Lys-26' trimethylated histone H1 with the effect of inhibiting PRC2 complex methyltransferase activity on nucleosomal histone H3 'Lys-27', whereas H3 'Lys-27' recognition has the opposite effect, enabling the propagation of this repressive mark (By similarity). The PRC2/EED-EZH2 complex may also serve as a recruiting platform for DNA methyltransferases, thereby linking two epigenetic repression systems (By similarity). Genes repressed by the PRC2/EED-EZH2 complex include HOXA7, HOXB6 and HOXC8. Plays a role in X chromosome inactivation (XCI), in which one of the two X chromosomes in female mammals is transcriptionally silenced to equalize X-linked gene dosage with XY males. Required for stable maintenance of XCI in both embryonic and extraembryonic tissues. May prevent transcriptional activation of facultative heterochromatin during differentiation. Required for development of secondary trophoblast giant cells during placental development. May regulate hippocampal synaptic plasticity in the developing brain. {ECO:0000250, ECO:0000269 PubMed:11479595, ECO:0000269 PubMed:12370779, ECO:0000269 PubMed:12627233, ECO:0000269 PubMed:12649488, ECO:0000269 PubMed:12689588, ECO:0000269 PubMed:15516932, ECO:0000269 PubMed:15916951, ECO:0000269 PubMed:16415857, ECO:0000269 PubMed:16618801, ECO:0000269 PubMed:17259173, ECO:0000269 PubMed:17997413, ECO:0000269 PubMed:18201968, ECO:0000269 PubMed:9234727, ECO:0000269 PubMed:9742080}.</p>
-------------	--

Molecular Weight:	51.0 kDa Including tag.
-------------------	-------------------------

UniProt:	Q921E6
----------	------------------------

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
----------	---

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process