
antibodies .- online.com





GALNT11 Protein (AA 30-608) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	GALNT11
Protein Characteristics:	AA 30-608
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GALNT11 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

FSEVTQPLRN VPIKGSGPHG PFPKKFYPRF TRGPGRVLDP QFKANRIDRL MNNHIEDPDK
GLSKSSSELG MIFNERDQEL RDLGYQKHAF NMLISNRLGY HRDVPDTRNA ECRRKSYPTD
LPTASIVICF YNEAFSALLR TVHSVVDRTP AHLLHEIILV DDSSDFDDLK GELDEYIQRY
LPAKVKVIRN MKREGLIRGR MIGAAHATGE VLVFLDSHCE VNVMWLQPLL AIILEDPHTV
VCPVIDIISA DTLAYSSSPV VRGGFNWGLH FKWDLVPVSE LGGPDGATAP IRSPTMAGGL
FAMNRQYFND LGQYDSGMDI WGGENLEISF RIWMCGGKLF ILPCSRVGHI FRKRRPYGSP
EGQDTMTHNS LRLAHVWLDE YKEQYFSLRP DLKNKSFGNI SERVELRKKL GCQSFKWYLD
NIYPEMQIPG PNAKPQQPVL INRGPKRPRV LQRGRLYHLQ TNKCLVAQGR SSQKGGLVLL
KTCDYGDPTQ VWIYNEDHEL ILNNLLCLDM SETRSSDPPR LMKCHGSGGS QQWTFGKNNR
LYQVSVGQCL RVMDLMDQKG YVGMAICDGS SSQQWRLEG

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Galnt11 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin free.

Grade: Crystallography grade

Target Details

glycosylation and is involved in left/right asymmetry by mediating O-glycosylation of NO O-glycosylation of NOTCH1 promotes activation of NOTCH1, modulating the balance be motile and immotile (sensory) cilia at the left-right organiser (LRO). Polypeptide N-acetylgalactosaminyltransferases catalyze the transfer of an N-acetyl-D-galactosamine to a serine or threonine residue on the protein receptor. Displays the same enzyme active toward MUC1, MUC4, and EA2 than GALNT1. Not involved in glycosylation of erythropois (EPO) (By similarity). (ECO:0000250). Molecular Weight: 66.8 kDa Including tag. UniProt: 0921L8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional stars as well. As the protein has not been tested for functional studies yet we cannot offer a genthough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all posoptions with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Target:	GALNT11
glycosylation and is involved in left/right asymmetry by mediating O-glycosylation of NO O-glycosylation of NOTCH1 promotes activation of NOTCH1, modulating the balance be motile and immotile (sensory) cilia at the left-right organiser (LRO). Polypeptide N-acetylgalactosaminyltransferases catalyze the transfer of an N-acetyl-D-galactosamine to a serine or threonine residue on the protein receptor. Displays the same enzyme activ toward MUC1, MUC4, and EA2 than GALNT1. Not involved in glycosylation of erythropoi (EPO) (By similarity). (ECO.0000250): Molecular Weight: 66.8 kDa Including tag. UniProt: Q921L8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional sas well. As the protein has not been tested for functional studies yet we cannot offer a given though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Alternative Name:	Galnt11 (GALNT11 Products)
UniProt: Q921L8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional sas well. As the protein has not been tested for functional studies yet we cannot offer a githough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Background:	acetylgalactosaminyltransferases catalyze the transfer of an N-acetyl-D-galactosamine residue to a serine or threonine residue on the protein receptor. Displays the same enzyme activity toward MUC1, MUC4, and EA2 than GALNT1. Not involved in glycosylation of erythropoietin
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional sas well. As the protein has not been tested for functional studies yet we cannot offer a gethough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all posoptions with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufaction of the manufac	Molecular Weight:	66.8 kDa Including tag.
Application Notes: In addition to the applications listed above we expect the protein to work for functional sas well. As the protein has not been tested for functional studies yet we cannot offer a githough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all post options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufaction of the manufac	UniProt:	Q921L8
as well. As the protein has not been tested for functional studies yet we cannot offer a gethough. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all post options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufaction of the manu	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest a molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactural discretion discr	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactory and the discretion of the dis	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactor of the	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80 °C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process