

Datasheet for ABIN3136885

## Zinc Finger Protein 110 (ZFP110) (AA 1-828) protein (His tag)



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	1 mg
Target:	Zinc Finger Protein 110 (ZFP110)
Protein Characteristics:	AA 1-828
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	His tag
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

#### Product Details

Sequence:	<p>MASTLPTTWP HESVKFEDVS LTFTEEEWAQ LDFQKCLYR EIMMENYSNM ISVEHHFSKP NVISQLEKAE DCWPMQREIP QDTLPECSWP SPDPGMNSFP SKSPLMKIEV VEVLTNLKDV AGPRNALIQS LYPEDLNPGN LKPAQQPSKR LTDTEASRQK FRHFQYEESA GPQKAMSQLR KLCHQWLQPN TRSKKQILEL LVLEQFLNAL PEKFRVWVES QHPEDCKAVV ALLENMTSVS KDDASLACSS EATDQLKEKR KGVATLPVTF AAEVPAEEPV TFQDVAVDNF EEEWRLLGPT QKTEYHDVML ETLGNLVS VG WEPTLGNREL TPDSPIPVVK PIHPNTNDL SRNGTQSTVF ESILEDGVKE MHSIESNQVG NLQEKGHPQK KFSESSKSQD QTSRHKSQGS LNEVLPRKYV KVKQKGTGKR KGRTNTISMT RGLRIRKQK DSVWQGRSG STPVTHGSSI KKQQQGSEQG KPGTSRDPIT LTPAKVYQK ATGSEESIFM DSSDAMVPDV PPKIHQKGPE WHKVGESNNS MLQGSSVQNH QMESGAGRAS DNSLLTHALP VKSHQKGYKE GNVQGNRNSW KHIKPHQKGS KGERVEELST SEKHVPYVKN HLKTSEKGD REINASI KCD PYIKTYRGS DVGRLRRANN CRKAFSLHAQ QISFIKIHKG SQVCRCECG KLFNRNARYFS VHKKIHTGER PYMCMACGKA</p>
-----------	---

FVQSSSLTQH LRIHSGERPF ECSECGRTFN DRSAISQHLR THTGAKPYHC ERCGKAFRQS  
SHLTRHERTH TGERPYVCIK CGKAFTQSSH LIGHQKTHGI KFKKQPKL

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

---

### Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Nrif1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

---

### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

### Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

### Sterility:

0.22 µm filtered

---

### Endotoxin Level:

Protein is endotoxin free.

---

## Product Details

---

Grade: Crystallography grade

## Target Details

---

Target: Zinc Finger Protein 110 (ZFP110)

Alternative Name: Nrif1 ([ZFP110 Products](#))

Background: Transcription regulator involved in NGFR/p75(NTR)-mediated apoptosis. Essential component of the NGFR/p75(NTR) apoptotic pathway: upon ligand-binding and subsequent cleavage of NGFR/p75(NTR), binds to the intracellular domain (ICD) cleavage product of NGFR/p75(NTR), translocates to the nucleus and induces apoptosis, possibly by regulating expression of key regulators of apoptosis. Induces NGFR/p75(NTR)-mediated apoptosis in retina and sympathetic neurons. May also regulate expression of neuronal cholesterol biosynthesis genes. Probably acts as a transcription repressor: specifically binds to the 3'-end of zinc-finger coding genes and recruiting chromatin-modifying proteins such as SETDB1 and TRIM28/KAP1, leading to transcription repression. {ECO:0000269|PubMed:10545116, ECO:0000269|PubMed:15668238, ECO:0000269|PubMed:16630834, ECO:0000269|PubMed:18677445, ECO:0000269|PubMed:18815271}.

Molecular Weight: 94.6 kDa Including tag.

UniProt: [Q923B3](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

## Handling

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -80 °C

---

Storage Comment: Store at -80°C.

---

Expiry Date: Unlimited (if stored properly)

## Images

---



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process