antibodies .- online.com





LRP8 Protein (AA 29-858) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	LRP8
Protein Characteristics:	AA 29-858
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LRP8 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

DPLPGGQGPV KECEEDQFRC RNERCIPLVW RCDEDNDCSD NSDEDDCPKR TCADSDFTCD NGHCIPERWK CDGEECPDG SDESKATCSS EECPAEKLSC GPTSHKCVPA SWRCDGEKDC EGGADEAGCP TLCAPHEFQC SNRSCLASVF VCDGDDDCGD GSDERGCSDP ACPPREFRCG GGGTCIPERW VCDRQFDCED RSDEAAELCG RAGQGTTATP AACAPTAQFT CRSGECIHLG WRCDGDRDCK DKSDEADCSP GPCRENEFQC GDGTCVLAIK RCNQERDCPD GSDEAGCLQE STCEGPRRFQ CKSGECVDGG KVCDDQRDCR DWSDEPQKVC GLNECLHNNG GCSHICTDLK IGFECTCPAG FQLLDQKTCG DIDECQDPDA CSQICVNYKG YFKCECHPGY EMDTLTKNCK AVAGKSPSLI FTNRHEVRRI DLVKRDYSRL IPMLKNVVAL DVEVATNRIY WCDLSYRKIY SAHMDKASIP DEQVVLIDEQ LHSPEGLAVD WVHKHIYWTD SGNKTISVAT TDGRRRCTLF SRELSEPRAI AVDPLRGFMY WSDWGFQAKI EKAGLNGADR QTLVSDNIEW PNGITLDLLS QRLYWVDSKL HQLSSIDFNG GNRKMLIFST DFLSHPFGVA VFEDKVFWTD LENEAIFSAN RLNGLEIAIL AENLNNPHDI VIFHELKQPK AADACDLSAQ PNGGCEYLCL PAPQISSHSP

KYTCACPDTM WLGPDMKRCY RAPQSTSTTT LASAMTRTVP ATTRAPGTTI HDPTYQNHST ETPSQTAAAP HSVNVPRAPS TSPSTPSPAT SNHSQHYGNE GSQMGSTVTA

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Lrp8 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free

Grade: Target Details Target: Alternative Name:	Crystallography grade LRP8 Lrp8 (LRP8 Products) Cell surface receptor for Reelin (RELN) and apolipoprotein E (apoE)-containing ligands. LRP8
Target:	Lrp8 (LRP8 Products)
	Lrp8 (LRP8 Products)
Altarnativa Nama	
Alternative Name.	Cell surface recentor for Peelin (PELN) and analinoprotein E (angE)-containing ligands LDP8
Background:	participates in transmitting the extracellular Reelin signal to intracellular signaling processes, by binding to DAB1 on its cytoplasmic tail. Reelin acts via both the VLDL receptor (VLDLR) and LRP8 to regulate DAB1 tyrosine phosphorylation and microtubule function in neurons. LRP8 has higher affinity for Reelin than VLDLR. LRP8 is thus a key component of the Reelin pathway which governs neuronal layering of the forebrain during embryonic brain development. Binds the endoplasmic reticulum resident receptor-associated protein (RAP). Binds dimers of beta 2-glycoprotein I and may be involved in the suppression of platelet aggregation in the vasculature. Highly expressed in the initial segment of the epididymis, where it affects the functional expression of clusterin and phospholipid hydroperoxide glutathione peroxidase (PHGPx), two proteins required for sperm maturation. May also function as an endocytic receptor. {ECO:0000269 PubMed:12695510}.
Molecular Weight:	92.2 kDa Including tag.
UniProt:	Q924X6
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process