

Datasheet for ABIN3136942

TAB2 Protein (AA 1-693) (Strep Tag)



Overview

Quantity:	250 μg
Target:	TAB2
Protein Characteristics:	AA 1-693
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TAB2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MAQGSHQIDF QVLHDLRQKF PEVPEVVVSR CMLQNNNNLD ACCAVLSQES TRYLYGEGDL
	NFSDESGISG LRNHMTSLNL DLQSQNVYHH GREGSRVNGS RTLTHSVSDG QLHGGQSNNE
	LFQQEPQTAP AQVPQGFNVF GMPSTSGASN STPHLGFHLG SKGTSNLSQQ TPRFNPIMVT
	LAPNIQTGRS TPTSLHIHGV PPPVLNSPQG NSIYIRPYIT TPSGTARQTQ QHSGWVSQFN
	PMNPQQAYQP SQPGPWTTYP ASNPLPHTST QQPNQQGHQT SHVYMPISSP TTPQPPTIHS
	SGSSQSSAHS QYNIQNISTG PRKNQIEIKL EPPQRNSSSK LRSSGPRTAS TSSLVNSQTL
	NRNQPTVYIA ASPPNTDEMI SRSQPKVYIS ANATAGDEQG MRNQPTLFIS TNSGPSAASR
	NMSGQVSMGP AFIHHHPPKS RVLGGNSATS PRVVVTQPNT KYTFKITVSP NKPPAVSPGV
	VSPTFELTNL LNHPDHYVET ENIQHLTDPA LAHVDRISEA RKLSMGSDDA AYTQALLVHQ
	KARMERLQRE LEMQKKKLDK LKSEVNEMEN NLTRRRLKRS NSISQIPSLE EMQQLRSCNR
	QLQIDIDCLT KEIDLFQARG PHFNPSAIHN FYDNIGFVGP VPPKPKDQRS TIKAPKTQDA

EDEEGAQWNC TACTFLNHPA LIRCEQCEMP RHF

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Product Details	
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	TAB2
Alternative Name:	Tab2 (TAB2 Products)
Background:	TGF-beta-activated kinase 1 and MAP3K7-binding protein 2 (Mitogen-activated protein kinase kinase 7-interacting protein 2) (TAK1-binding protein 2) (TAB-2) (TGF-beta-activated kinase 1-binding protein 2),FUNCTION: Adapter required to activate the JNK and NF-kappa-B signaling pathways through the specific recognition of 'Lys-63'-linked polyubiquitin chains by its RanBP2-type zinc finger (NZF) (By similarity). Acts as an adapter linking MAP3K7/TAK1 and TRAF6 to 'Lys-63'-linked polyubiquitin chains (By similarity). The RanBP2-type zinc finger (NZF) specifically recognizes Lys-63'-linked polyubiquitin chains unanchored or anchored to the substrate proteins such as RIPK1/RIP1 and RIPK2: this acts as a scaffold to organize a large signaling complex to promote autophosphorylation of MAP3K7/TAK1, and subsequent activation of I-kappa-B-kinase (IKK) core complex by MAP3K7/TAK1 (PubMed:19927120). Regulates the IL1-mediated translocation of NCOR1 out of the nucleus (PubMed:12150997). Involved in heart development (By similarity). {ECO:0000250 UniProtKB:Q9NYJ8, ECO:0000269 PubMed:12150997, ECO:0000269 PubMed:19927120}.
Molecular Weight:	76.4 kDa
UniProt:	Q99K90
Pathways:	TCR Signaling, TLR Signaling, Fc-epsilon Receptor Signaling Pathway, Activation of Innate immune Response, Toll-Like Receptors Cascades, Ubiquitin Proteasome Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

Application Details

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months