antibodies .- online.com





CEP72 Protein (AA 1-646) (Strep Tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	CEP72
Protein Characteristics:	AA 1-646
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CEP72 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAPGQRLVLC EETVRERSGL GPHRDLAELR SLSIPGTYQE KITHLGNSLM HLTALKSLDL SRNSLVSLEG IQYLVSLESL NLYYNCISSL AEVFRLHTLL ELQDVDFRLN PVVKNESDYR LFVVHMLPKL RQLDDRPVRE SERKASQLHF APEDSLNSKE NFSTTLTVGR PHHLRNRCTE TSAKKCLVMD ADDEAVLNLI AECEWDLSNP PGNMSSSQKE HEADLHYAQE SRHLLSPLSI QHQCGDSARR GHEKKKVTSR GCPGHSPQDQ LCGELPLQHG LPEACHMHVQ HARITSQPDS VDVEDCASSA QKSSLSSQKT VNPLPVPEKY RKRRMPGGRF QVPSDRECLS FLERADGPSS LEDSLSRQDG LEGQSQVALS HSEALEAEER TSHGTSDPRV LSPKLCSAAV PERRSTLEVA LLEALLDLID RCSSGSGSLH GNEAFLAQAK HVLSSLQEFT ATRDSSALEK EGIGYLSLEN KTLQSRLAEQ QQQYTATVTK MTAELNNTKR ELDTLRQHLD KSLEENSHLK SLLYNVKKEV KTADTSTALT LQITGLQASM KQLSGEVVEL KQHVEHYDKI QELTQMLQES HSSLVSTNEH LLQELSRTRA QHRAEVEQMR WSFQEFKKTT ALIPHRSSRR GGRQSC

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag

capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Crystallography grade
CEP72
Cep72 (CEP72 Products)
Centrosomal protein of 72 kDa (Cep72),FUNCTION: Involved in the recruitment of key centrosomal proteins to the centrosome. Provides centrosomal microtubule-nucleation activity on the gamma-tubulin ring complexes (gamma-TuRCs) and has critical roles in forming a focused bipolar spindle, which is needed for proper tension generation between sister chromatids. Required for localization of KIZ, AKAP9 and gamma-tubulin ring complexes (gamma-TuRCs) (By similarity). Involved in centriole duplication. Required for CDK5RAP22, CEP152, WDR62 and CEP63 centrosomal localization and promotes the centrosomal localization of CDK2 (By similarity). {ECO:0000250 UniProtKB:Q9P209}.
72.4 kDa
Q9D3R3
M Phase
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

Application Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)