

Datasheet for ABIN3137129

AKAP8 Protein (AA 1-687) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	AKAP8
Protein Characteristics:	AA 1-687
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This AKAP8 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	<p>MEQGYGGYGA WSAGPANTQG TYGSGMTSWQ GYENYNYNA QNTSVPAGTP YSYGPASWEA</p> <p>TKTNDGGLAA GSPAMHVASF APEPCTDNSD SLIAKINQRL DMLSKEGGRG GISSGGEGVQ</p> <p>DRDSSFRFQP YESYDARPCI PEHNPYRPGY GYDYDFDLGT DRNGSFGGTF NDCRDPAPER</p> <p>GSLDGFLRGR GQGRFQDRSN SSTFIRSDPF MPSPASEPLS TTWNELNYMG GRGLGGPSTS</p> <p>RPPPSLFSQS MAPDYSMMGM QGVGGFGGTM PYGCGRSQTR IRDWPRRRGF ERFQPDNMGR</p> <p>KRKQFPLYEE PDAKLARADS DGDLSSENDG AGDLRSGDEE FRGEDDLCDG RKQRGEKEDE</p> <p>DEDVKKRREK QRRRDRMRDR AADRIQFACS VCKFRSFEDE EIQKHLQSKF HKETLRFIST</p> <p>KLPDKTVEFL QEYIINRNKK IEKRRQELLE KESPKPKPDP FKGIGQEHFF KKIEAAHCLA</p> <p>CDMLIPAQHQ LLQRHLHSDV HNNRRLAAE QFKKTSLVHA KSVLNNKHIV KMLEKYLKGE</p> <p>DPFVNETADL ETEGDENVGE EKEETPEEVA AEVLAEVITA AVKAVEGEGE PAAAHSDVLT</p> <p>EVEGPVDTAE ASSDPHTEKL LEEQTCEAAS ETRSIEDKTR GEAAEARNEA AMPTADAGST</p>

LPVIAIPGIM EDELEQTGAE AKDIPTE

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Product Details

Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade: custom-made

Target Details

Target: AKAP8

Alternative Name: Akap8 ([AKAP8 Products](#))

Background: A-kinase anchor protein 8 (AKAP-8) (A-kinase anchor protein 95 kDa) (AKAP 95),FUNCTION: Anchoring protein that mediates the subcellular compartmentation of cAMP-dependent protein kinase (PKA type II). Acts as an anchor for a PKA-signaling complex onto mitotic chromosomes, which is required for maintenance of chromosomes in a condensed form throughout mitosis. Recruits condensin complex subunit NCAPD2 to chromosomes required for chromatin condensation, the function appears to be independent from PKA-anchoring (By similarity). Specifically involved in recruitment of CAPD2 to, and condensation of maternal but not paternal chromosomes (PubMed:12082153). May help to deliver cyclin D/E to CDK4 to facilitate cell cycle progression (PubMed:14641107). Required for cell cycle G2/M transition and histone deacetylation during mitosis. In mitotic cells recruits HDAC3 to the vicinity of chromatin leading to deacetylation and subsequent phosphorylation at 'Ser-10' of histone H3, in this function may act redundantly with AKAP8L. Involved in nuclear retention of RPS6KA1 upon ERK activation thus inducing cell proliferation. May be involved in regulation of DNA replication by acting as scaffold for MCM2. Enhances HMT activity of the KMT2 family MLL4/WBP7 complex and is involved in transcriptional regulation. In a teratocarcinoma cell line is involved in retinoic acid-mediated induction of developmental genes implicating H3 'Lys-4' methylation. May be involved in recruitment of active CASP3 to the nucleus in apoptotic cells. May act as a carrier protein of GJA1 for its transport to the nucleus. May play a repressive role in the regulation of rDNA transcription. Preferentially binds GC-rich DNA in vitro. In cells, associates with ribosomal RNA (rRNA) chromatin, preferentially with rRNA promoter and transcribed regions (By similarity). Involved in modulation of Toll-like receptor signaling. Required for the cAMP-dependent suppression of TNF-alpha in early stages of LPS-induced macrophage activation, the function probably implicates targeting of PKA to NFkB1 (PubMed:19531803). {ECO:0000250|UniProtKB:O43823, ECO:0000250|UniProtKB:Q63014}.

Molecular Weight: 76.3 kDa

UniProt: [Q9DBR0](#)

Pathways: [SARS-CoV-2 Protein Interactome](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months