



[Go to Product page](#)

Datasheet for ABIN3137172 TNFRSF21 Protein (AA 42-655) (rho-1D4 tag)

Overview

Quantity:	1 mg
Target:	TNFRSF21
Protein Characteristics:	AA 42-655
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TNFRSF21 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence: QPEQKTLSLP GTYRHVDRTT GQVLTCDKCP AGTYVSEHCT NMSLRVCSSC PAGTFTRHEN
GIERCHDCSQ PCPWPMIERL PCAALTDREC ICPPGMYQSN GTCAPHTVCP VGWGVRRKKG
ENEDVRCKQC ARGTFSDVPS SVMKCKAHTD CLGQNLEVVK PGTKETDNVC GMRLFFSSTN
PPSSGTVTFS HPEHMESHV PSSTYEPQGM NSTDSNSTAS VRTKVPSGIE EGTVPDNTSS
TSGKEGTNRT LPNPPQVTHQ QAPHHRHILK LLPSSMEATG EKSSTAIKAP KRGHPRQNAH
KHFDINEHLP WMIVLFLLLV LVLIVCSIR KSSRTLKKG RQDPSAIVEK AGLKKSILTPT
QNREKWIYYR NGHIDILKL VAAQVGSQWK DIYQFLCNAS EREVAAFSNG YTADHERAYA
ALQHWITIRGP EASLAQLISA LRQHRRNDVV EKIRGLMEDT TQLETDKLAL PMSPSPLSPS
PMPSPNVKLE NSTLLTVEPS PLDKNKCFV DESEPLLRCO STSSGSSALS RNSGFSITKEK
KDTVLRQVRL DPCDLQPIFD DMLHILNPEE LRVIEEIPQA EDKLDRLFEL IGVKSQEASQ
TLLDSVYSHL PDLL

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Tnfrsf21 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin-free.

Product Details

Grade: Crystallography grade

Target Details

Target: TNFRSF21

Alternative Name: Tnfrsf21 ([TNFRSF21 Products](#))

Background: Promotes apoptosis, possibly via a pathway that involves the activation of NF-kappa-B. Can also promote apoptosis mediated by BAX and by the release of cytochrome c from the mitochondria into the cytoplasm. Plays a role in neuronal apoptosis, including apoptosis in response to amyloid peptides derived from APP, and is required for both normal cell body death and axonal pruning. Trophic-factor deprivation triggers the cleavage of surface APP by beta-secretase to release sAPP-beta which is further cleaved to release an N-terminal fragment of APP (N-APP). N-APP binds TNFRSF21, this triggers caspase activation and degeneration of both neuronal cell bodies (via caspase-3) and axons (via caspase-6). Negatively regulates oligodendrocyte survival, maturation and myelination. Plays a role in signaling cascades triggered by stimulation of T-cell receptors, in the adaptive immune response and in the regulation of T-cell differentiation and proliferation. Negatively regulates T-cell responses and the release of cytokines such as IL4, IL5, IL10, IL13 and IFNG by Th2 cells. Negatively regulates the production of IgG, IgM and IgM in response to antigens. May inhibit the activation of JNK in response to T-cell stimulation. {ECO:0000269|PubMed:11485735, ECO:0000269|PubMed:11714751, ECO:0000269|PubMed:12515813, ECO:0000269|PubMed:19225519, ECO:0000269|PubMed:21725297, ECO:0000269|PubMed:23559013}.

Molecular Weight: 69.2 kDa Including tag.

UniProt: [Q9EPU5](#)

Pathways: [Regulation of Lipid Metabolism by PPARalpha](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

Application Details

options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)
