antibodies .- online.com





OLR1 Protein (AA 1-363) (rho-1D4 tag)



Image



Go to Product pag

Overview

Quantity:	1 mg
Target:	OLR1
Protein Characteristics:	AA 1-363
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This OLR1 protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

MTFDDKMKPA NDEPDQKSCG KKPKGLHLLS SPWWFPAAMT LVILCLVLSV TLIVQWTQLR QVSDLLKQYQ ANLTQQDRIL EGQMLAQQKA ENTSQESKKE LKGKIDTLTQ KLNEKSKEQE ELLQKNQNLQ EALQRAANSS EESQRELKGK IDTITRKLDE KSKEQEELLQ MIQNLQEALQ RAANSSEESQ RELKGKIDTL TLKLNEKSKE QEELLQKNQN LQEALQRAAN FSGPCPQDWL WHKENCYLFH GPFSWEKNRQ TCQSLGGQLL QINGADDLTF ILQAISHTTS PFWIGLHRKK PGQPWLWENG TPLNFQFFKT RGVSLQLYSS GNCAYLQDGA VFAENCILIA FSICQKKTNH LQI Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Olr1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin-free.

 Grade:
 Crystallography grade

Target Details

Target: OLR1

Target Details

Alternative Name:	Olr1 (OLR1 Products)
Background:	Receptor that mediates the recognition, internalization and degradation of oxidatively modified
	low density lipoprotein (oxLDL) by vascular endothelial cells. OxLDL is a marker of
	atherosclerosis that induces vascular endothelial cell activation and dysfunction, resulting in
	pro-inflammatory responses, pro-oxidative conditions and apoptosis. Its association with
	oxLDL induces the activation of NF-kappa-B through an increased production of intracellular
	reactive oxygen and a variety of pro-atherogenic cellular responses including a reduction of
	nitric oxide (NO) release, monocyte adhesion and apoptosis. In addition to binding oxLDL, it
	acts as a receptor for the HSP70 protein involved in antigen cross-presentation to naive T-cells
	in dendritic cells, thereby participating in cell-mediated antigen cross-presentation. Also
	involved in inflammatory process, by acting as a leukocyte-adhesion molecule at the vascular
	interface in endotoxin-induced inflammation. Also acts as a receptor for advanced glycation
	end (AGE) products, activated platelets, monocytes, apoptotic cells and both Gram-negative
	and Gram-positive bacteria (By similarity). {ECO:0000250}.
Molecular Weight:	42.8 kDa Including tag.
UniProt:	Q9EQ09
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process