

Datasheet for ABIN3137276

DDX21 Protein (AA 1-851) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	DDX21
Protein Characteristics:	AA 1-851
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DDX21 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AlIcE®
Sequence:	MPGKLRSGAK LGSDGAEESM ETLPKPSEKK TRKEKTKSKT EEATEGMEEA VSSKAKKTNK KGPSDDVDP PKSRKAKKQE EEPQDDTAST SKTSKKKKEP LEQADSETK EIITEEPSEE EADMPKPKKM KKGKEANGDA GEKSPKLKNG LSQPSEEEAD IPKPKMKKKG KEANGDAGEK SPKLKNGLSQ PSEEEVDIPK PKKMKGKKEA SGDAGEKSPR LKDGLSQPSE PKSNSSDAPG EESSETEKE IPVEQKEGAF SNFPISEETV KLLKARGVNF LFPIQAKTFH HVYSGKDLIA QARTGTGKTF SFAIPLIEKL QGGLQERKRG RAPQVLVLAP TRELANQVSK DFSDITKKLS VACFYGGTPY GGQIERMRSG IDILVGTPGR IKDHLQNGKL DLTKLKHVVL DEVDMQLDMG FADQVEEILC VAYKKDSEDN PQTLIFSATC PHWVFNVAKK YMKSTYEQVD LIGKKTQKAA ITVEHLAIKC HWTERAAVIG DVIRVYSGHQ GRTIIFCETK KDAQELSQNT CIKQDAQSLH GDIPQKQREI TLKGFRNGNF GVLVATNVAA RGLDIPEVDL VVQSCPPKDV ESYIHRSGRT GRAGRTGVCI CFYQNKEEYQ LAQVEQKAGI KFKRIGVPSA TEIKASSKD AIRLLDSVPP

TAISHFKQSA EKLIEEKGA V EALAAALAH I SGATSVDQRS LINSQAGFVT MILRCSIEMP
NISYAWKELK EQLGESIDAK VKGMVFLKGK LGVCFDVRTE AVTEIQEKWH DSRRWQLTVA
TEQPELEGPP DGYRGRMGQR DGSRGAFRGQ RGGSRNFRGQ GQRGGSRNFR GQRPGGGNRG
QKRSFSKAFG Q

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
---------------	--

Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
---------	--

Grade:	custom-made
--------	-------------

Target Details

Target:	DDX21
---------	-------

Alternative Name:	Ddx21 (DDX21 Products)
-------------------	--

Background:	<p>Nucleolar RNA helicase 2 (EC 3.6.4.13) (DEAD box protein 21) (Gu-alpha) (Nucleolar RNA helicase Gu) (Nucleolar RNA helicase II) (RH II/Gu),FUNCTION: RNA helicase that acts as a sensor of the transcriptional status of both RNA polymerase (Pol) I and II: promotes ribosomal RNA (rRNA) processing and transcription from polymerase II (Pol II) (By similarity). Binds various RNAs, such as rRNAs, snoRNAs, 7SK and, at lower extent, mRNAs (By similarity). In the nucleolus, localizes to rDNA locus, where it directly binds rRNAs and snoRNAs, and promotes rRNA transcription, processing and modification (By similarity). Required for rRNA 2'-O-methylation, possibly by promoting the recruitment of late-acting snoRNAs SNORD56 and SNORD58 with pre-ribosomal complexes (By similarity). In the nucleoplasm, binds 7SK RNA and is recruited to the promoters of Pol II-transcribed genes: acts by facilitating the release of P-TEFb from inhibitory 7SK snRNP in a manner that is dependent on its helicase activity, thereby promoting transcription of its target genes (By similarity). Functions as cofactor for JUN-activated transcription: required for phosphorylation of JUN at 'Ser-77' (By similarity). Can unwind double-stranded RNA (helicase) and can fold or introduce a secondary structure to a single-stranded RNA (foldase) (By similarity). Together with SIRT7, required to prevent R-loop-associated DNA damage and transcription-associated genomic instability: deacetylation by SIRT7 activates the helicase activity, thereby overcoming R-loop-mediated stalling of RNA polymerases (By similarity). Involved in rRNA processing. May bind to specific miRNA hairpins (By similarity). Component of a multi-helicase-TICAM1 complex that acts as a cytoplasmic sensor of viral double-stranded RNA (dsRNA) and plays a role in the activation of a cascade of antiviral responses including the induction of pro-inflammatory cytokines via the adapter molecule TICAM1 (PubMed:21703541). {ECO:0000250 UniProtKB:Q9NR30, ECO:0000269 PubMed:21703541}.</p>
-------------	---

Molecular Weight:	93.6 kDa
-------------------	----------

UniProt:	Q9JIK5
----------	------------------------

Target Details

Pathways: [SARS-CoV-2 Protein Interactome](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months