

## Datasheet for ABIN3137328 CD2AP Protein (AA 1-637) (His tag)



[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	1 mg
Target:	CD2AP (Cd2ap)
Protein Characteristics:	AA 1-637
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD2AP protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

#### Product Details

Sequence: MVDYIVEYDY DAVHDELTI RVGEIIRNVK KLQEEGWLEG ELNGRRGMFP DNFVKEIKRE  
TEPKDDNLPI KRERQGNVAS LVQRISTYGL PAGGIQPHPQ TKAIKKTKK RQCKVLFDYS  
PQNEDELELI VGDVIDVIEE VEEGWWSGTL NNKLGFPSPN FVKELESTED GETHNAQEEES  
EVPLTGPTSP LPSPGNNGSEP APGSVAQPKK IRGIGFGDIF KEGSVKLRTR TSSSETEEEK  
TEKPLILQPL GSRTQNVEVT KPDVDGKIKK KEYCRTLPFY TGTNEDELTF REGEIHLIS  
KETGEAGWWK GELNGKEGVF PDNFAVQISE LDKDFPKPKK PPPPAKGAP KPDLSAAEKK  
AFPLKAEKED EKSLLQKPS KPAAPQVPPK KPTAPTKASN LLRSPGAVYP KRPEKPVPPP  
PPAAKINGEV SISSKIDTE PVSKPKLDPE QLPVRPKSVD LDAFVARNSK ETDDVNFDDI  
ASSENLLHLT ANRPKMPGRR LPGRFNGGHS PTQSPEKTLK LPKEDDSGNL KPLEFKKDDAS  
YSSKSSLSTP SSASKVNTAA FLTPLELKAK AEADDGKRNS VDELRAQIIE LLCIVDALKK  
DHGKELEKLR KELEEEKAMR SNLEVEIAKL KKAVLLS

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a**

### **special request, please contact us.**

#### Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Cd2ap Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

#### Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

#### Sterility:

0.22 µm filtered

#### Endotoxin Level:

Protein is endotoxin free.

#### Grade:

Crystallography grade

## Target Details

Target:	CD2AP (Cd2ap)
Alternative Name:	Cd2ap ( <a href="#">Cd2ap Products</a> )
Background:	Seems to act as an adapter protein between membrane proteins and the actin cytoskeleton. In collaboration with CBLC, modulates the rate of RET turnover and may act as regulatory checkpoint that limits the potency of GDNF on neuronal survival. Controls CBLC function, converting it from an inhibitor to a promoter of RET degradation. May play a role in receptor clustering and cytoskeletal polarity in the junction between T-cell and antigen-presenting cell. May anchor the podocyte slit diaphragm to the actin cytoskeleton in renal glomerulus. Also required for cytokinesis. {ECO:0000269 PubMed:10514378}.
Molecular Weight:	71.4 kDa Including tag.
UniProt:	<a href="#">Q9JLQ0</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process