antibodies .- online.com





TRPC4AP Protein (AA 2-797) (His tag)



Go to Product pag

Overview

Quantity:	1 mg
Target:	TRPC4AP
Protein Characteristics:	AA 2-797
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRPC4AP protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

AAAPAAAGAG ASRGRRLAAT AAAWGGWGGR PRPGNILLQL RQGQLTGRGL VRAVQFTETF
LTERDKLSKW SGIPQLLLKL YATSHLHSDF VECQSILKEI SPLLSMEAMA FVTEDRKFTQ
EATYPNTYIF DLFGGVDLLV EILMRPTISI RGQKLKISDE MSKDCLSILY NTCVCTEGVT
KRLAEKNDFV IFLFTLMTSK KTFLQTATLI EDILGVKKEM IRLDEVPNLS SLVSNFDQQQ
LANFCRILAV TISEMDTGND DKHTLLAKNA QQKKSLSLGP SAAEINQAAL LSIPGFVERL
CKLATRKVSE STGTASFLQE LEEWYTWLDN ALVLDALMRV ANEESEHNQA PTVFPSLGTS
EEGGLPHTSA RAQLPQSMKI MHEIMYKLEV LYVLCVLLMG RQRNQVHRMI AEFKLIPGLN
NLFDKLIWRK HSASALVLHG HNQNCDCSPD ITLKIQFLRL LQSFSDHHEN KYLLLNNQEL
NELSAISLKA NIPEVEAVLN TDRSLVCDGK RGLLTRLLQV MKKEPAESSF RFWQARAVES
FLRGTTSYAD QMFLLKRGLL EHILYCIVDS ECKSRDVLQS YFDLLGELMK FNVDAFKRFN
KYINTDAKFQ VFLKQINSSL VDSNMLVRCV TLSLDRFENQ VDMKVAEVLS ECRLLAYISQ
VPTQMSFLFR LINIIHVQTL TQENVSCLNT SLVILMLARR KERLPLYLRL LQRMEHSKKY

PGFLLNNFHN LLRFWQQHYL HKDKDSTCLE NSSCISFSYW KETVSILLNP DRQSPSALVS YIEEPYMDID RDFTEE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Trpc4ap Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free

Grade: Crystallography grade **Target Details** Target: TRPC4AP Alternative Name Trpc4ap (TRPC4AP Products) Background: Substrate-specific adapter of a DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complex required for cell cycle control. The DCX(TRUSS) complex specifically mediates the polyubiquitination and subsequent degradation of MYC (By similarity). Also participates in the activation of NFKB1 in response to ligation of TNFRSF1A, possibly by linking TNFRSF1A to the IKK signalosome. Involved in JNK activation via its interaction with TRAF2. Also involved in elevation of endoplasmic reticulum Ca(2+) storage reduction in response to CHRM1. {ECO:0000250, ECO:0000269|PubMed:16876162, ECO:0000269|PubMed:20458742}. Molecular Weight: 91.5 kDa Including tag. UniProt: Q9JLV2 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice: Avoid repeated freeze-thaw cycles. -80 °C Storage: Storage Comment: Store at -80°C.

Product Details

1	1 11	١٠
\vdash	land	∥n∩
1	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)