antibodies .- online.com





NAIP Protein (AA 1-1403) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	NAIP
Protein Characteristics:	AA 1-1403
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAIP protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

MAEHGESSED RISEIDYEFL PELSALLGVD AVQLAKSQEE EEHKERMKMK KGFNSQMRSE
AKRLKTFETY DTFRSWTPQE MAAAGFYHTG VKLGVQCFCC SLILFGNSLR KLPIERHKKL
RPECEFLQGK DVGNIGKYDI RVKSPEKMLR GGKARYHEEE ARLESFEDWP FYAHGTSPRV
LSAAGFVFTG KRDTVQCFSC GGSLGNWEEG DDPWKEHAKW FPKCEFLQSK KSSEEIAQYI
QGYEGFVHVT GEHFVNSWVR RELPMVSAYC NDSVFANEEL RMDTFKDWPH ESPVAVDALV
RAGLFYTGKK GIVQCFSCGG CMEKCTEGDD PIQEHNKFFP NCVFLQTPKS SAEVIPALQS
HCALPEAMET TSESNHDDPA AVHSTVVGLG RSEAQWFQEA RSLSEQLRDN YTKATFRHMN
LPEVCSSLGT DHLIGCDVSI ISKHISQPVQ GALTIPEVFS NLSSVMCVEG ETGSGKTTFL
KRIAFLWASG CCPLLYRFQL VFYLSLSSIT PDQGLANIIC AQLLGAGGCI SEVCLSSIIQ
QLQHQVLFLL DDYSGLASLP QALHTLITKN YLSRTCLLIA VHTNRVRGIR SYLDTSLEIK
EFPLSNTVYI LKKFFSHNIK RLLEFMVYFG QNEDLQGIHK TPLFVAAVCT DWFENPSDQP
FQDMALFKSY MQYLSLKHKG AAKPLQATVS SCGQLALTGL FSSCFEFNSD DLAEAGVDED

EELTTCLMSK FTAQRLRPVY RFLGPLFQEF LAAMRLTELL SSDRQEDQDL GLYYLRQINS PLKALTTYNN FLKYVFSHPS SKAGPTVVSH LLHLVDETEL LENTYKNEDY VNHPPGTSRI MKGLKELWLL SPEYYSSFVS EHLLRIALNF AYESNTVAEC SPFILQFLRG RTLALKVLNL QYFRDHPESL LLVKSLEVSI NGNKVPKVVD YSVMEKSFET LQPPTIDQDY ASAFEQMKEH EKNLSENEET IKSIKNIFPL QPPKISSGYW KLSPKPCKIP RLEVGVTNMG PADQALLQVL MEVFSASQSI EFRLSDSSGF LESIRPALEL SKASVTKCSM SRLELSRAEQ ELLLTLPALQ SLEVSETNQL PDQLFHNLHK FLGLKELCVR LDGKPDVLSV LPGEFPNLLH MEKLSIRTSM ESDLSKLVKL IQNSPNLHVF HLKCDFLSNC DSLMAVLASC KKLREIEFSG RCFEAMPFVN ILPNFISLKI LNLISQQFPD KETSEKFAQA LGSLRNLEEL LVPTGDGIHQ VAKLIVRQCL QLPCLRVLAF HYILDNDSVI EIARVATSGG FQKLEKLDLS MNHKITEEGY RNFFQALDNL PNLQNLNICR HIPECIQVQA TTVKALGQCV SRLPSLTRLH MLSWLLDEED MKVINDVKER HPQSKRLIIF WKWIVPFSPV VLE

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Naip1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	NAIP
Alternative Name:	Naip1 (NAIP Products)
Background:	Anti-apoptotic protein which acts by inhibiting the activities of CASP3, CASP7 and CASP9. Can
	inhibit the autocleavage of pro-CASP9 and cleavage of pro-CASP3 by CASP9. Capable of
	inhibiting CASP9 autoproteolysis at 'Asp-315' and decreasing the rate of auto proteolysis at
	'Asp-330'. Acts as a mediator of neuronal survival in pathological conditions. Prevents motor-
	neuron apoptosis induced by a variety of signals (By similarity). {ECO:0000250}.
Molecular Weight:	159.7 kDa Including tag.
UniProt:	Q9QWK5
Pathways:	Apoptosis, Inflammasome
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.

Application Details

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process