antibodies .- online.com





TRIP4 Protein (AA 2-581) (His tag)



Overview

Quantity:	1 mg	
Target:	TRIP4	
Protein Characteristics:	AA 2-581	
Origin:	Mouse	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This TRIP4 protein is labelled with His tag.	
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)	

Product Details

Sequence:

AVAGAAYREP LVHWCTQQLQ KTFALDVSEE IIQYVLSIEN AEEIREYVTD LLQGNEGKKG
QFIEDLITKW QKNDQEFISD SFQQCLRKDE ILDGQRSVDQ LKRSRRKGRN KQEVPAFPEP
DVAVEVKTPL DLAKAQESNN SVKKKTRFVN LYTREGQDKL AVLLPGRHPC DCLGQKHKLI
NNCLVCGRIV CEQEGSGPCL FCGSLVCTNE EQDILQRDSN KSQKLLKKLM SGAETSGKVD
VSTKDLLPHQ ESRMKSGLEK AIKHKEKLLE FDRTSIRRTQ VIDDESDYFA SDSNQWLSKV
EREMLQKREE ELRELRHASR LSKKVTIDFA GRKILEDENP LAEYHSRLDE TIQAIASGTL
NQSLVTLDRS CEEPLGVLVN PNMYQASPQW VDNTGSTPQK KTSLSAGPRL EPSLHQHQLR
IQDQEFQEGF DGGWCLSMHQ PWASLLVRGI KRVEGRSWYT PHRGRLWIAA TGKRPSPQEV
SELQATYRLL RGKDVEFPND YPSGCLLGCV DLIDCLSQKQ FQEQFPDISQ ESDSSFVFIC
KNPQEMVVKF PIKGNPKIWK LDSKIHQGAK KGLMKQNKAV

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Trip4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Grade:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin free.

Crystallography grade

Target Details

Target:	TRIP4	
Alternative Name:	Trip4 (TRIP4 Products)	
Background:	Transcription coactivator which associates with nuclear receptors, transcriptional coactivators	
	including EP300, CREBBP and NCOA1, and basal transcription factors like TBP and TFIIA to	
	facilitate nuclear receptors-mediated transcription. May thereby play an important role in	
	establishing distinct coactivator complexes under different cellular conditions. Plays a role in	
	thyroid hormone receptor and estrogen receptor transactivation (By similarity). Also involved in	
	androgen receptor transactivation (PubMed:12077347). Plays a pivotal role in the	
	transactivation of NF-kappa-B, SRF and AP1. Acts as a mediator of transrepression between	
	nuclear receptor and either AP1 or NF-kappa-B (By similarity).	
	{ECO:0000250 UniProtKB:Q15650, ECO:0000269 PubMed:12077347,	
	ECO:0000269 PubMed:12390891}.	
Molecular Weight:	67.0 kDa Including tag.	
UniProt:	Q9QXN3	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the	
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher	
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible	
	options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

1	1 11	١٠
\vdash	land	unc
	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)