antibodies .- online.com





MAGE-Like 2 Protein (MAGEL2) (AA 1-1284) (Strep Tag)



Overview

Quantity:	1 mg
Target:	MAGE-Like 2 (MAGEL2)
Protein Characteristics:	AA 1-1284
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAGE-Like 2 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MSQLSTNLGD SSPPESPVPA VHSRPTVLMR APPASSRAPP VPWDPPPVDL QAPMAAWQAP
QPAWEAPEGQ LPAPVAQLAQ PPGLGAPMVQ APPLGGGMAK PPTPGVLMVH QPPPGAPMAQ
SSTPGVLMLH PSVTGAPLAH PPPPGTPMTH PPGTSMAHPP PPPPPPPPPP PPGTPMTHPP
PPGTPMGHHP PPGNPMTHPP PGNPMVHPLT HGAPMVHGGP HGTPMPHVPI TGTPIAQQPT
PGVLMAQQLT PGVLMVQPPA PGAPMVQPPP QAALMTQPAP SITPMAKPPG PGVVMIHPPG
ARGPIIQTPV SGAPMAQTVL PPGQPLATWA PQGQPLILQI QSQVIRAPPQ VPSVPQAPQV
QLATPPGWQA TTPNWQVTPQ GWPATPLTWQ ATQVTWQAPT IAWQATQPGR QGHSTIRTGH
TPIRPGPAPL LRQIPPMIRQ IQPVMRQAPP LIRQVPIRPA PHGIASQPQL WQVLPPPPPL
RQAPQARLLL PRVPGTGQVS TVPPVAQIHL VPQSGPQVPQ TVLPAQLSIP IPVPQAAAQS
APRTVHCPPI IWQAPKGQAP VPQELPVPQE LPVPQELPVP QEVPVPQEIP VPQEIPVPQE
LPVPQELPVP QELPVPQELP VPQELPVPQE LPVPQELPVP QELPVPLEFQ EVQQAQAVGW
RAPKVPPHFW QPVSAQEAQE QATQIAHVEQ QQPFQGAPAS SKALQTQLPT HQAQASGLQA

ELPSVQLQPS WQGPLPMLQA QPGASATLAN FPRGSTRSRM APSGEPGPSS LEPRGPPRER RAPARDKKGP PKERMFIGAT FCAPRGASAS RAYVPTAWKN LPATSETFPA TSRVFPSTSH FQPASSNAFR GPSAASESPK SLPFALQDPY ACVEALPAVP WVPYPDGNAS SACKSVPAIL MVAAAAPQAS ATAAEASKSS EPPRRPGKAT RKKKHLEPKE DNCGHRLSSR DWRGPRTWGN PSHSDWEIQR AMQLLGDRES LYTPQGLNDW GCPNTSRMPR SLEGPSTSRD QEFCGDSGGS QTWMASEVPS VSRGSSAAQE DPDRESQPLS PLDERANALV QFLLVKDQAK VPVQLSEMVN VVIREYKDDS LDIINRANTK LECTFGCQLK EVDTKTHTYI IVNKMAYPQC NLLASYLERP KFSLLMVVLS LIFMKGYCIR ENLLFSFLFQ LGLDVQETSG LFRITKKLIT SVFVRHRYLE YRQIPFTEPA EYELLWGPRA FLETNRVHIL RFLAALYENQ PQIWSCQYLD SLAELEYKDA NAAAEESHDS DDDAHDPTSS PHPH

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system -

all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

Target:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

MAGE-Like 2 (MAGEL2)

Target Details

rarget.	IVIAGL-LIKE 2 (IVIAGLL2)
Alternative Name:	Magel2 (MAGEL2 Products)
Background:	MAGE-like protein 2 (Protein nS7),FUNCTION: Probably enhances ubiquitin ligase activity of
	RING-type zinc finger-containing E3 ubiquitin-protein ligases, possibly through recruitment
	and/or stabilization of the Ubl-conjugating enzyme (E2) at the E3:substrate complex. Acts as a
	regulator of retrograde transport via its interaction with VPS35. Recruited to retromer-
	containing endosomes and promotes the formation of 'Lys-63'-linked polyubiquitin chains at
	'Lys-220' of WASHC1 together with TRIM27, leading to promote endosomal F-actin assembly
	(By similarity). Regulates the circadian clock by repressing the transcriptional activator activity
	of the CLOCK-BMAL1 heterodimer. Significantly promotes the cytoplasmic accumulation of
	CLOCK (PubMed:22208286). {ECO:0000250 UniProtKB:Q9UJ55,
	ECO:0000269 PubMed:22208286}.
Molecular Weight:	138.0 kDa
UniProt:	Q9QZ04

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)