

Datasheet for ABIN3137447  
**RFWD2 Protein (AA 1-733) (His tag)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	1 mg
Target:	RFWD2
Protein Characteristics:	AA 1-733
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This RFWD2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

## Product Details

Sequence:	MSGSRQAGSG SAGTSPGSSA ASSVTSASSS LSSSPSPPSV AASAATLVSG GVAPAAGSGG LGGPGRPVLV AAVVSGSASA GGAVSAGQSR LSCAARPSAG VGGSSSSLGS SSRKRPLLVP LCNGLLSYE DKSNDVFCPI CFDMIEEAYM TKCGHSFCYK CIHQSLDNN RCPKCNYVVD NIDHLYPNFL VNELILKQKQ RFEEKRFKLD HSVSSTNGHR WQIFQDLLGT DQDNLDLANV NLMLELLVQK KKQLEASHA AQLQILMEFL KVARRNKREQ LEQIQKELSV LEEDIKRVEE MSGLYSPVSE DSTVPQFEAP SPSHSSIIDS TEYSQPPGFS GTSQTKKQPW YNSTLASRRK RLTAHFEDLE QCYFSTRMSR ISDDSRASQ LDEFQECLSK FTRYNSVRPL ATLSYASDLY NGSSIVSSIE FDRDCDYFAI AGVTKKIKVY EYGTVIQDAV DIHYPENEMT CNSKISCISW SSYHKNLLAS SDYEGTVILW DGFTGQRSKV YQEHEKRCWS VDFNLMDPKL LASGSDDAKV KLWSTNLDNS VASIEAKANV CCVKFSPSSR YHLAFGCADH CVHYYDLRNT KQPIMVFKGH RKAVSYAKFV SGEEIVSAST DSQLKLWNVG KPYCLRSFKG HINEKNFVGL ASNGDYIACG SENNSLYLYY KGLSKTLLTF KFDTVKSVLD KDRKEDDTNE FVSAVCWRAL SDGESNVLIA
-----------	--

ANSQGTIKVL ELV

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

---

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Rfwd2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

---

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

Sterility:

0.22 µm filtered

---

Endotoxin Level:

Protein is endotoxin free.

---

## Product Details

---

Grade: Crystallography grade

## Target Details

---

Target: RFWD2

Alternative Name: Rfwd2 ([RFWD2 Products](#))

Background: E3 ubiquitin-protein ligase that mediates ubiquitination and subsequent proteasomal degradation of target proteins. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Involved in JUN ubiquitination and degradation. Directly involved in p53 (TP53) ubiquitination and degradation, thereby abolishing p53-dependent transcription and apoptosis. Ubiquitinates p53 independently of MDM2 or RCHY1. Probably mediates E3 ubiquitin ligase activity by functioning as the essential RING domain subunit of larger E3 complexes. In contrast, it does not constitute the catalytic RING subunit in the DCX DET1-COP1 complex that negatively regulates JUN, the ubiquitin ligase activity being mediated by RBX1 (By similarity). Involved in 14-3-3 protein sigma/SFN ubiquitination and proteasomal degradation, leading to AKT activation and promotion of cell survival. Ubiquitinates MTA1 leading to its proteasomal degradation (By similarity). {ECO:0000250}.

Molecular Weight: 81.4 kDa Including tag.

UniProt: [Q9R1A8](#)

Pathways: [Photoperiodism](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

## Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process