antibodies

Datasheet for ABIN3137485 CDH22 Protein (AA 34-813) (rho-1D4 tag)



Overview

Image

Quantity:	1 mg
Target:	CDH22
Protein Characteristics:	AA 34-813
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDH22 protein is labelled with rho-1D4 tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	ASTPAPSSLS PGAQEDNQLG AGRVKRGWVW NQFFVVEEYT GTEPLYVGKI HSDSDEGDGT
	IKYTISGEGA GTIFLIDELT GDIHATERLD REQKTFYTLR AQARDRATNR LLEPESEFII KVQDINDSEP
	RFLHGPYIGS VAELSPTGTS VMQVMASDAD DPTYGSSARL VYSVLDGEHH FTVDPKTGVI
	RTAVPDLDRE SQERYEVVIQ ATDMAGQLGG LSGSTTVTIV VTDVNDNPPR FPQKMYQFSI
	QESAPIGTAV GRVKAEDSDV GENTDMTYHL REESGSGGDA FKVTTDSDTQ EAIIVVQKHL
	DFESQQVHTV VLEALNKFVD PRFADLGTFR DQAIVRVAVT DVDEPPEFRP PSGLLEVQED
	AQVGSLVGVV TARDPDAANR PVRYAIDRDS DLEQIFDIDA DTGAIVTGKG LDRETAGWHN
	ITVLAMEADN HAQLSRASLR IRILDVNDNP PELATPYEAA VCEDAKPGQL IQTISVVDRD
	EPQGGHRFYF RLVPEAPSNP HFSLLDIEDN TAAVHTQHVG FNRQEQDVFL LPILVVDSGP
	PTLSSTGTLT IRICGCDSSG TIQSCNTTAF VMAASLSPGA LIALLVCVLI LVVLALLILT
	LRRHHKSHLS SDVDEDMRDN VIKYNDEGGG EQDTEAYDMS ALRSLYDFGE LKGGDPGGGA
	ASPPQAASSS ERHSLPRGPS SPEPDFSVFR DFISRKVALA DADLSVPPYD AFQTYAFEGA

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3137485 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	GSPAASLSSL HSGSTGSEQD FAFLRAWGPR FRPLAALYAG HRGDDEAPAS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Cdh22 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:
	1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
	2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3137485 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details	
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade

Target Details

themselves in a homophilic manner in connecting cells, cadherins may thus contribute to sorting of heterogeneous cell types. PB-cadherins may have a role in the morphological organization of pituitary gland and brain tissues. Molecular Weight: 85.6 kDa Including tag. UniProt: Q9WTP5 Application Details In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Target Details	
Background: Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells, cadherins may thus contribute to sorting of heterogeneous cell types. PB-cadherins may have a role in the morphological organization of pituitary gland and brain tissues. Molecular Weight: 85.6 kDa Including tag. UniProt: Q9WTP5 Application Details In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Inquid Buffer: 100 mM NaCl., 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuface Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Target:	CDH22
themselves in a homophilic manner in connecting cells, cadherins may thus contribute to sorting of heterogeneous cell types. PB-cadherins may have a role in the morphological organization of pituitary gland and brain tissues. Molecular Weight: 85.6 kDa Including tag. UniProt: Q9WTP5 Application Details In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. 5torage: Storage: -80 °C	Alternative Name:	Cdh22 (CDH22 Products)
UniProt: Q9WTP5 Application Details In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iuquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuface Handling Advice: -Xvoid repeated freeze-thaw cycles. Storage -80 °C Storage Comment: Store at -80°C.	Background:	
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iuquid Buffer: 100 mM NaCL 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuface Handling Advice: Avoid repeated freeze-thaw cycles. Storage -80 °C Storage Comment: Store at -80°C.	Molecular Weight:	85.6 kDa Including tag.
Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a g though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling In quid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuface Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	UniProt:	Q9WTP5
as well. As the protein has not been tested for functional studies yet we cannot offer a group though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a limolecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all posioptions with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingLiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactor of the manufactor of the sector of the manufactor of the sector of the manufactor of the sector	Application Details	
recombinant protein with the default tag will be insoluble our protein lab may suggest a l molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all pos options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingIFormat:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact Handling Advice:Storage:-80 °CStorage Comment:Store at -80°C.	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
HandlingFormat:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Comment:	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
Format:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Restrictions:	For Research Use only
Buffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Handling	
Handling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80°C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3137485 | 09/11/2023 | Copyright antibodies-online. All rights reserved. Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3137485 | 09/11/2023 | Copyright antibodies-online. All rights reserved.