

Datasheet for ABIN3137488

**ODZ1/Teneurin 1 Protein (AA 1-324) (His tag)**[Go to Product page](#)**1** Image

## Overview

Quantity:	1 mg
Target:	ODZ1/Teneurin 1 (TENM1)
Protein Characteristics:	AA 1-324
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ODZ1/Teneurin 1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

## Product Details

Sequence: MEQTDCKPYQ PLSKVKHEMD LAYTSSSDS EDGRKPRQSF NSRETLHEY NQELRRNYNSQ  
SRKRKDVEKS TQEIEFCETP PTLCSGYHTD MHSVSRHGYQ LEMGSDVDTE TEGAASPDHA  
LRMWIRGMKS EHSSCLSSRA NSALSLTDTD HERKSDGENG FKFSPPVCCDM EAPADSAQDM  
QSSPHNQFTF RPLPPPPPP HACTCARKPP PTVDSLQRRS MTTRSQPSPA APAPTSTQD  
SVHLHNSWVL NSNIPLERH FLFKHSGSGS AIFSAASQNY PLTSNTVYSP PPRPLPRSTF  
SRPAFTFNKP YRCCNWKCTA LSAT

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
  - Mouse Tenm1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
  - State-of-the-art algorithm used for plasmid design (Gene synthesis).

## Product Details

---

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

## Target Details

---

Target:	ODZ1/Teneurin 1 (TENM1)
Alternative Name:	Tenm1 ( <a href="#">TENM1 Products</a> )
Background:	Involved in neural development, regulating the establishment of proper connectivity within the

## Target Details

nervous system. May function as a cellular signal transducer (By similarity). {ECO:0000250}., Teneurin C-terminal-associated peptide: Plays a role in the regulation of neuroplasticity in the limbic system. Mediates a rapid reorganization of actin- and tubulin-based cytoskeleton elements with an increase in dendritic arborization and spine density formation of neurons in the hippocampus and amygdala. Induces BDNF transcription inhibition in neurons. Activates the mitogen-activated protein (MAP) kinase 2 (MEK2) and extracellular signal-regulated kinase (ERK) cascade. Acts also as a bioactive neuroprotective peptide on limbic neurons of the brain and regulates stress-induced behavior: attenuates alkalosis-associated necrotic cell death and the effects of corticotropin-releasing factor (CRF) on c-fos/FOS induction and on the reinstatement of cocaine seeking. {ECO:0000269|PubMed:15710242, ECO:0000269|PubMed:17174479, ECO:0000269|PubMed:17644218, ECO:0000269|PubMed:17900539, ECO:0000269|PubMed:18082275, ECO:0000269|PubMed:19428634, ECO:0000269|PubMed:20883474, ECO:0000269|PubMed:21411044, ECO:0000269|PubMed:22209827, ECO:0000269|PubMed:22698694}., Ten-1 intracellular domain: Induces gene transcription activation. {ECO:0000250}.

Molecular Weight: 37.3 kDa Including tag.

UniProt: [Q9WTS4](#)

Pathways: [Regulation of Actin Filament Polymerization](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

## Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

## Images



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process