# antibodies .- online.com





# EPM2A Protein (AA 1-330) (His tag)





Go to Product page

## Overview

Quantity:	1 mg
Target:	EPM2A
Protein Characteristics:	AA 1-330
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EPM2A protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

## **Product Details**

## Sequence:

MLFRFGVVVP PAVAGARQEL LLAGSRPELG RWEPHGAVRL RPAGTAAGAA ALALQEPGLW LAEVELEAYE EAGGAEPGRV DTFWYKFLQR EPGGELHWEG NGPHHDRCCT YNEDNLVDGV YCLPVGHWIE ATGHTNEMKH TTDFYFNIAG HQAMHYSRIL PNIWLGSCPR QLEHVTIKLK HELGVTAVMN FQTEWDIIQN SSGCNRYPEP MTPDTMMKLY KEEGLSYIWM PTPDMSTEGR VQMLPQAVCL LHALLENGHT VYVHCNAGVG RSTAAVCGWL HYVIGWNLRK VQYFIMAKRP AVYIDEDALA QAQQDFSQKF GKVHSSICAL

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Epm2a Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

## Target Details


Target:	EPM2A
Alternative Name:	Epm2a (EPM2A Products)
Background:	Has been shown to have both dual-specificity protein phosphatase and glucan phosphatase

	activities and, together with the E3 ubiquitin ligase NHLRC1/malin, appears to be involved in the
	clearance of toxic polyglucosan and protein aggregates via multiple pathways.
	Dephosphorylates phosphotyrosine, phosphoserine and phosphothreonine substrates in vitro.
	Has also been shown to dephosphorylate MAPT. Shows strong phosphatase activity towards
	complex carbohydrates in vitro, avoiding glycogen hyperphosphorylation which is associated
	with reduced branching and formation of insoluble aggregates. Forms a complex with
	NHLRC1/malin and HSP70, which suppresses the cellular toxicity of misfolded proteins by
	promoting their degradation through the ubiquitin-proteasome system (UPS). Acts as a scaffold
	protein to facilitate PPP1R3C/PTG ubiquitination by NHLRC1/malin. Also promotes
	proteasome-independent protein degradation through the macroautophagy pathway.
	{ECO:0000269 PubMed:18040046, ECO:0000269 PubMed:18852261,
	ECO:0000269 PubMed:19036738, ECO:0000269 PubMed:19542233,
	ECO:0000269 PubMed:20453062, ECO:0000269 PubMed:22669944}.
Molecular Weight:	37.9 kDa Including tag.
UniProt:	Q9WUA5
Pathways:	Cellular Glucan Metabolic Process
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
i oillat.	Liquiu
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C

# Handling

Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

# Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process