# antibodies .- online.com





# TBK1 Protein (AA 1-729) (Strep Tag)



Go to Product pag

#### Overview

Quantity:	1 mg
Target:	TBK1
Protein Characteristics:	AA 1-729
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TBK1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

### **Product Details**

Sequence:

MQSTSNHLWL LSDILGQGAT ANVFRGRHKK TGDLYAVKVF NNISFLRPVD VQMREFEVLK KLNHKNIVKL FAIEEETTTR HKVLIMEFCP CGSLYTVLEE PSNAYGLPES EFLIVLRDVV GGMNHLRENG IVHRDIKPGN IMRVIGEDGQ SVYKLTDFGA ARELEDDEQF VSLYGTEEYL HPDMYERAVL RKDHQKKYGA TVDLWSVGVT FYHAATGSLP FRPFEGPRRN KEVMYKIITG KPSGAISGVQ KAENGPIDWS GDMPLSCSLS QGLQALLTPV LANILEADQE KCWGFDQFFA ETSDVLHRMV IHVFSLQHMT AHKIYIHSYN TAAVFHELVY KQTKIVSSNQ ELIYEGRRLV LELGRLAQHF PKTTEENPIF VTSREQLNTV GLRYEKISLP KIHPRYDLDG DASMAKAVTG VVCYACRTAS TLLLYQELMR KGVRWLVELV KDDYNETVHK KTEVVITLDF CIRNIEKTVK VYEKLMKVNL EAAELGEISD IHTKLLRLSS SQGTIESSLQ DISSRLSPGG LLADTWAHQE GTHPRDRNVE KLQVLLNCIT EIYYQFKKDK AERRLAYNEE QIHKFDKQKL YYHATKAMSH FSEECVRKYE AFKDKSEEWM RKMLHLRKQL LSLTNQCFDI EEEVSKYQDY TNELQETLPQ KMLAASGGVK HAMAPIYPSS NTLVEMTLGM KKLKEEMEGV VKELAENNHI LERFGSLTMD

#### **GGLRNVDCL**

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System

(ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

## **Target Details**

Target:

TBK1

Alternative Name:

Tbk1 (TBK1 Products)

Background:

Serine/threonine-protein kinase TBK1 (EC 2.7.11.1) (T2K) (TANK-binding kinase 1),FUNCTION: Serine/threonine kinase that plays an essential role in regulating inflammatory responses to foreign agents (PubMed:10581243, PubMed:15210742, PubMed:15661922). Following activation of toll-like receptors by viral or bacterial components, associates with TRAF3 and TANK and phosphorylates interferon regulatory factors (IRFs) IRF3 and IRF7 as well as DDX3X (By similarity). This activity allows subsequent homodimerization and nuclear translocation of the IRFs leading to transcriptional activation of pro-inflammatory and antiviral genes including IFNA and IFNB (By similarity). In order to establish such an antiviral state, TBK1 form several different complexes whose composition depends on the type of cell and cellular stimuli (By similarity). Thus, several scaffolding molecules including FADD, TRADD, MAVS, AZI2, TANK or TBKBP1/SINTBAD can be recruited to the TBK1-containing-complexes (By similarity). Plays a key role in IRF3 activation: acts by first phosphorylating innate adapter proteins MAVS, STING1 and TICAM1 on their pLxIS motif, leading to recruitment of IRF3, thereby licensing IRF3 for phosphorylation by TBK1 (By similarity). Under particular conditions, functions as a NF-kappa-B effector by phosphorylating NF-kappa-B inhibitor alpha/NFKBIA, IKBKB or RELA to translocate NF-Kappa-B to the nucleus (By similarity). Restricts bacterial proliferation by phosphorylating the autophagy receptor OPTN/Optineurin on 'Ser-177', thus enhancing LC3 binding affinity and antibacterial autophagy (By similarity). Phosphorylates SMCR8 component of the C9orf72-SMCR8 complex, promoting autophagosome maturation (By similarity). Phosphorylates ATG8 proteins MAP1LC3C and GABARAPL2, thereby preventing their delipidation and premature removal from nascent autophagosomes (By similarity). Phosphorylates and activates AKT1 (By similarity). Seems to play a role in energy balance regulation by sustaining a state of chronic,

Targe	et De	tails

l arget Details	
	low-grade inflammation in obesity, wich leads to a negative impact on insulin sensitivity (PubMed:23396211). {ECO:0000250 UniProtKB:Q9UHD2, ECO:0000269 PubMed:10581243, ECO:0000269 PubMed:15210742, ECO:0000269 PubMed:15661922, ECO:0000269 PubMed:23396211}.
Molecular Weight:	83.4 kDa
UniProt:	Q9WUN2
Pathways:	TLR Signaling, Activation of Innate immune Response, Hepatitis C, Toll-Like Receptors Cascades, SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.

-80 °C

Store at -80°C.

Storage:

Storage Comment:

1	1 11	١٠
$\vdash$	land	unc
	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)